

N.P.T., Socket Weld and Sweat End Y-Strainers

Y250TIT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TIT											
M.A.W.P.:	400 psig at 150 F			End Connection:	N.P.T.			Drain Connection:	N.P.T.		
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Non-Asbestos		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	
Item Price:	13	13	13	20	24	37	50	82	168	197	
Spare Gasket Price:	10	10	10	14	18	23	33	40	46	46	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs.:	2	2	2	3	3	6	8	13	22	30	

Y125TBT/SBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y125TBT / Y125SBT											
M.A.W.P.:	200 psig at 150 F			End Connection:	N.P.T. / Sweat			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Non-Asbestos		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	
Item Price:	36	36	36	49	76	113	154	231	389	568	
Spare Gasket Price:	9	9	9	14	17	22	32	38	44	44	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs.:	1	1	1	1	2	2	3	4	11	16	

Y250TBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TBT											
M.A.W.P.:	400 psig at 150 F			End Connection:	N.P.T.			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Silicon		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"			
Item Price:	42	62	99	136	209	348	598	809			
Spare Gasket Price:	3	3	4	6	6	8	8	13			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"			
Item Weight - Lbs.:	1	2	2	3	4	8	10	13			

ITEM #: Y300TST / Y300SWST											
M.A.W.P.:	740 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	Teflon		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	
Item Price:	75	75	75	89	133	174	202	342	711	1067	
Spare Gasket Price:	7	7	7	9	9	11	11	13	18	18	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs.:	1	1	1	1	2	2	3	5	6	8	

ITEM #: Y300TSST / Y300WSST										
M.A.W.P.:	720 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	127	127	127	149	233	305	343	589	1166	1749
Spare Gasket Price:	7	7	7	9	9	11	11	13	18	18
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs:	1	1	1	1	2	2	3	5	6	8

ITEM # Y600TST / Y600WSST / Y600TSB / Y600WSWB										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	68	81	121	162	216	309	1668	1909		
Spare Gasket Price:	17	19	23	24	28	31	39	44		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs:	2	3	5	7	10	15	63	77		

ITEM #: Y600TSST / Y600WSST / Y600TSB / Y600SWSSB										
M.A.W.P.:	1440 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp Wound	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	138	177	315	519	618	887	4142	4769		
Spare Gasket Price:	17	19	23	24	28	31	39	44		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	2	3	5	7	10	15	63	77		

ITEM #: Y600TLCT / Y600SWLCT										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Low Temp C.S.			Screen:	304 SS			Gasket:	304 SS Sp Wound	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	143	162	281	P.O.A.	528	754				
Spare Gasket Price:	17	19	23		28	31				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y600TA20T / Y600SWA20T										
M.A.W.P.:	1200 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Alloy 20 (CN7M)			Screen:	Alloy 20 (CN7M)			Gasket:	Alloy 20 Sp Wound	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	367	465	710	P.O.A.	1353	2002				
Spare Gasket Price:	242	290	290		343	396				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y1500TST / Y1500SWST										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	124	197	341							
Spare Gasket Price:	20	23	26							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSST / Y1500SWSST										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	285	388	704							
Spare Gasket Price:	20	23	26							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSB / Y1500SWSB										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	268	429	748	800	800	1100				
Spare Gasket Price:	19	22	25	27	29	34				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500TSSB / Y1500SWSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	534	691	1106	1884	1884	2624				
Spare Gasket Price:	19	22	25	27	29	34				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMB / Y1500SW52CMB										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Chr. Molly (WC6)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	413	583	726	1161	1309	1694				
Spare Gasket Price:	20	23	26	29	31	35				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMT / Y1500SW52CMT										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"							
Item Price:	160	253	440							
Spare Gasket Price:	20	23	26							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

Flanged, Buttweld and RTJ Y-Strainers

ITEM #: Y125FDIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	98	141	180	287	387	544	937	1755	2407	
Spare Gasket Price:	11	11	21	21	32	57	78	100	122	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	22	35	43	75	115	154	243	390	650	

ITEM #: Y125FIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	14"	16"	18"	20"	24"					
Item Price:	7579	10114	12506	15452	19387					
Sp. Gasket Price:	143	152	160	236	281					
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"					
Item Weight - Lbs.:	815	1224	1895	3350	4705					

ITEM #: Y250FDIB										
M.A.W.P.:	500 psig at 150 F			End Connection:	250 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron (A395)			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	439	599	841	1394	1813	2564	3635	6687	10542	
Spare Gasket Price:	5	5	11	11	16	27	39	61	100	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	28	38	54	110	160	224	468	590	750	

ITEM #: Y150FBB											
M.A.W.P.:	225 psig at 150 F			End Connection:	150 Lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Teflon		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1900	2660	3338	6113	9071	11914	20456	33262	48133	P.O.A	
Spare Gasket Price:	12	15	18	26	38	58	86	116	173		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs.:	20	32	36	61	110	160	210	440	585		

ITEM #: Y150FSB											
M.A.W.P.:	285 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	
Item Price:	172	227	308	383	424	618	747	1192	1789	2184	
Spare Gasket Price:	17	17	19	24	30	42	42	51	53	64	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	160	
Size:	8"	10"	12"	14"	16"	18"	20"	24"			
Item Price:	3538	7605	10747	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Spare Gasket Price:	75	127	165								
Std. Screen Size:	0.125"	0.125"	0.125"								
Item Weight - Lbs.:	210	440	585								

ITEM #: Y150FSSB											
M.A.W.P.:	275 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"		
Item Price:	375	479	638	855	1161	1904	2320	3403	5741		
Spare Gasket Price:	17	17	19	24	30	42	42	51	53		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"		
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110		
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	6785	10921	22846	31826	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	64	75	127	165							
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"							
Item Weight - Lbs.:	160	210	440	585							

ITEM #: Y300FSB										
M.A.W.P.:	740 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	
Item Price:	198	388	507	535	502	769	1080	1593	3588	
Spare Gasket Price:	17	17	19	24	30	42	42	51	53	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	
Item Weight - Lbs:	8	14	15	26	32	36	55	88	180	
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"	
Item Price:	3365	5405	9722	15210	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	64	75	127	165						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	200	290	520	680						

ITEM #: Y300BWSB										
M.A.W.P.:	740 psig at 100 F			End Connection:	Buttweld			Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1714	1893	2420	2750	4461	4464	6081	9686	12924	
Spare Gasket Price:	30	42	42	51	53	64	75	127	165	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	15	25	45	68	90	120	170	360	550	

ITEM #: Y300FSSB										
M.A.W.P.:	720 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Item Price:	520	794	864	1683	1568	2387	3115	4981	P.O.A.	9899
Spare Gasket Price:	17	17	19	24	30	42	42	51		64
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"		0.125"
Item Weight - Lbs:	8	14	15	26	32	36	55	88		200
Size:	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	16855	31119	48353	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	75	127	165							
Std. Screen Size:	0.125"	0.125"	0.125"							
Item Weight - Lbs:	290	520	680							

ITEM #: Y600FSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1060	P.O.A.	2174	3772	P.O.A.	6987	11332	21724	32102
Spare Gasket Price:	40		53	72		98	117	154	176
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1169	P.O.A.	2385	4157	P.O.A.	7677	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	183		392	457		605			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y600FSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3243	P.O.A.	5997	12047	P.O.A.	21902	34887	65599	85026
Spare Gasket Price:	40		53	72		98	117	154	176
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3564	P.O.A.	6590	13253	P.O.A.	24101	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	183		392	457		605			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y900FSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2475	P.O.A.	3110	4797	P.O.A.	10648	18948	27229	P.O.A.
Spare Gasket Price:	97		141	189		235	306	352	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	
Item Weight - Lbs:	125		163	253		550	1075	1950	

ITEM #: Y900RTJSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2737	P.O.A.	3416	5276	P.O.A.	11705	20843	P.O.A.	P.O.A.
Spare Gasket Price:	262		392	457		601	887		
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"		
Item Weight - Lbs:	125		163	253		550	1075		

ITEM #: Y900FSSB									
M.A.W.P.:	2160 psig		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	7486	P.O.A.	9665	14597	P.O.A.	31314	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	97		141	189		235			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y900RTJSSB									
M.A.W.P.:	2160 psig		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	8225	P.O.A.	10427	15751	P.O.A.	33795	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	262		392	457		601			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y1500FSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2475	3381	4930	7259	P.O.A.	15472	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	97	118	141	188		235			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2714	P.O.A.	5422	7989	P.O.A.	17015	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	262		431	509		692			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM #: Y1500FSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RF		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	7279	10682	15835	21958	P.O.A.	49723	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	97	118	141	188		235				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"				
Item Weight - Lbs:	125	197	234	355		812				

ITEM #: Y1500RTJSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RTJ Flanged		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Oval Ring		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	8007	P.O.A.	15891	24145	P.O.A.	54695	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	262		431	509		692				
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"				
Item Weight - Lbs:	125		234	355		812				

ITEM: Spare Screens									
Screen Material:	Spare Screen Pricing for Y-Strainers and Suction Diffusers, Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	19	19	19	21	35	53	59	85	118
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250, 300, MESH LINING ONLY	11	11	11	12	19	26	30	48	66
MESH COMPLETE W/ PERF. SUPPORT	30	30	30	33	54	79	89	133	184
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	157	262	380	524	877	1283	1766	2314	2929
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250, 300, MESH LINING ONLY	80	131	190	262	438	640	883	1158	1465
MESH COMPLETE W/ PERF. SUPPORT	238	393	570	785	1315	1923	2649	3473	4395

N.P.T. and Socket Weld Basket Strainers

ITEM #:	B125TIR2						Cover Type:		Rotating Type	
M.A.W.P.:	200 psig at 100 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-Ring	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	
Item Price:	479	479	479	545	627	737	952	1062	1243	
Spare Gasket Price:	6	6	6	6	11	11	12	20	25	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs:	10	18	10	18	18	30	50	62	62	

ITEM #:	B300TSB2 / B300SWSB2						Cover Type:		Bolted	
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	414	557	557	853	853	1163				
Spare Gasket Price:	24	26	26	29	29	36				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSC2 / B300SWSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	567	710	710	1095	1095	1397				
Spare Gasket Price:	24	26	26	29	29	36				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

ITEM #:	B300TSSB2 / B300SWSSB2						Cover Type:		Bolted	
M.A.W.P.:	720 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1054	1310	1310	2316	2316	3137				
Spare Gasket Price:	24	26	26	29	29	36				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSSC2 / B300SWSSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1285	1541	1541	2662	2662	3484				
Spare Gasket Price:	24	26	26	29	29	36				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

Flanged Basket Strainers

ITEM #:	B125FIB1						Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	282	379	517	612	961	1255	2346	3779	5735	11409
Spare Gasket Price:	16	23	23	34	38	44	55	79	91	100
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	1010
Size:	16"	18"	20"	24"						
Item Price:	13734	20767	28254	36945						
Sp. Gasket Price:	193	218	242	263						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	1041	1446	1980	2790						

ITEM #:	B125FIC1						Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	447	526	635	785	1057	1369	2298	3575	5792	
Spare Gasket Price:	16	23	23	34	38	44	55	79	91	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	

ITEM #:	B125FIY1						Cover Type:		Yoke	
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-ring	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	336	410	509	847	1271	1523	2517	4387	7279	
Spare Gasket Price:	7	7	7	8	8	11	19	26	37	
Std. Screen Size:	0.0625"	0.0625"	0.0625"	0.0625"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	27	29	42	65	95	148	198	350	720	

ITEM #:	B150FBB1					Cover Type:			Bolted
M.A.W.P.:	225 psig at 150 F		End Connection:	150 Lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)		Screen:	304 SS		Gasket:	Teflon		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2148	3720	4143	6426	8541	11940	21648	33486	56656
Spare Gasket Price:	13	16	20	27	37	58	86	110	158
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670

ITEM #:	B150FSB1					Cover Type:			Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	584	807	1125	1733	2412	2686	5115	7807	12086
Spare Gasket Price:	33	33	39	42	83	72	88	118	132
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	100	124	270	385	670
Note: B150FSB1 & B150FSSB1 come with a Teflon gasket from factory; replacement gasket is 304SS Spiral wound									

ITEM #:	B150FSSB1					Cover Type:			Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1454	1656	2460	3686	P.O.A.	6090	11160	15972	27242
Spare Gasket Price:	33	33	39	42		72	88	118	132
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70		124	270	385	670

ITEM #:	B150FSB2					Cover Type:			Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	
Item Price:	531	931	P.O.A.	1698	2418	P.O.A.	4786	7521	
Spare Gasket Price:	28	33		39	42		72	88	
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"	
Item Weight - Lbs:	24	46		85	120		237	372	

ITEM #:	B150FSSB2					Cover Type:			Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	
Item Price:	1694	2460	P.O.A.	4191	6224	P.O.A.	12681	21597	
Spare Gasket Price:	28	33		39	42		72	88	
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"	
Item Weight - Lbs:	24	46		85	120		237	372	

Flanged Dual Basket Assembly Strainers

NOTE: Pricing for spare gaskets are for one [1]; you need to double this for both sides

ITEM #:	DB125FIBC2						Cover Type:		Bolted
M.A.W.P.:	200 psig at 100 F		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	4784	6379	7858	9304	14612	25107	38298
Spare Gasket Price:			32	34	38	44	55	79	91
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

ITEM #:	DB125FICC2						Cover Type:		C-Clamp
M.A.W.P.:	50 psig at ambient		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	5805	7740	9389	10750	16380	27046	40824
Spare Gasket Price:			32	34	38	44	55	79	91
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

Flanged Suction Diffusers

(Inlet x Outlet/pump)

ITEM #:	SC125FIB										Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged						Drain Connection:	Standard			
Body Material:	Cast Iron		Screen:	304 SS						Gasket:	Buna-N O-Ring			
Size:	2"x1-1/2"	2"x2"	2-1/2"x2"	2-1/2"x2-1/2"	3"x2"	3"x2-1/2"	3"x3"	4"x3"	4"x4"	5"x4"				
Item Price:	215	230	288	305	311	401	425	569	589	856				
Spare Gasket Price:	8	8	13	13	17	17	17	29	29	38				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.125"	0.125"	0.125"			
Item Weight - Lbs:	21	21	23	32	34	45	49	55	70	92				
Size:	5"x5"	6"x4"	6"x5"	6"x6"	8"x5"	8"x6"	8"x8"	10"x8"	10"x10"	12"x8"				
Item Price:	872	905	1143	1212	1434	1465	1995	2529	2978	3593				
Spare Gasket Price:	38	38	46	46	46	46	92	92	130	130				
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"				
Item Weight - Lbs:	97	132	145	182	197	197	292	312	422	412				
Size:	12"x10"	12"x12"												
Item Price:	3792	3953												
Spare Gasket Price:	158	158												
Std. Screen Size:	0.125"	0.125"												
Item Weight - Lbs:	491	573												

Spare Baskets for Basket and Dual Basket Strainers

ITEM: Spare Baskets									
Screen Material:	Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	N/A	N/A	138	138	138	138	138	138	210
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	N/A	N/A	70	70	70	70	70	70	107
MESH COMPLETE W/ PERF. SUPPORT	N/A	N/A	208	208	208	208	208	208	317
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	242	309	483	669	963	1203	1442	1684	1925
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	121	154	242	336	483	603	722	843	964
MESH COMPLETE W/ PERF. SUPPORT	363	463	725	1004	1445	1806	2164	2527	2889

Perforated Cone & Basket Strainers

ITEM #: TC150SS4W1 / TC300SS4W1 / TC600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Conical	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	135	135	152	184	254	278	325	433	474
Perf c/w Mesh		193	193	210	244	317	345	438	552	605
Perforation:	150%	138	138	155	191	263	288	341	462	520
Perf c/w Mesh		195	195	216	255	334	363	459	595	673
Perforation:	200%	140	140	160	198	274	300	358	575	690
Perf c/w Mesh		198	198	220	268	348	380	484	675	757
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	591	813	947	1164	1388	1670	1883	2507	
Perf c/w Mesh		789	1114	1295	1558	1859	2229	2525	3439	
Perforation:	150%	668	953	1154	1398	1684	2035	2325	3108	
Perf c/w Mesh		905	1321	1607	1906	2301	2775	3185	4378	
Perforation:	200%	759	1091	1225	1628	1950	2399	2805	3846	
Perf c/w Mesh		1044	1527	1709	2253	3290	3322	3903	5452	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

ITEM #: TB150SS4W1 / TB300SS4W1 / TB600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Basket	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	135	135	152	184	254	278	325	433	474
Perf c/w Mesh		193	193	210	244	317	345	438	552	605
Perforation:	150%	138	138	155	191	263	288	341	462	520
Perf c/w Mesh		177	177	196	232	304	330	417	541	612
Perforation:	200%	140	140	160	198	274	300	358	575	690
Perf c/w Mesh		198	198	220	268	348	380	484	675	757
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	591	813	947	1164	1388	1670	1883	2507	
Perf c/w Mesh		788.70	1114.30	1294.70	1557.60	1859.00	2228.60	2524.50	3438.60	
Perforation:	150%	668	953	1154	1398	1684	2035	2325	3130	
Perf c/w Mesh		905	1321	1607	1906	2301	2775	3185	4378	
Perforation:	200%	759	1091	1225	1628	1950	2399	2805	3846	
Perf c/w Mesh		1044	1527	1709	2253	3290	3322	3903	5452	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

Dual Disc Check Valves

ITEM#:	DC125WIBB		(DC126WIBB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		Bronze			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	65	78	115	176	233	338	592	974	1386	2172
Unit Weight - Lbs	4.5	5.5	7	11.5	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	3186	4776	5840	8108						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DC125WISSB		(DC126WISSB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	54	78	96	147	181	262	476	790	1134	1816
Unit Weight - Lbs	5	6	7	12	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	2464	3679	4655	6838						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DR150WSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	285	372	408	600	828	1158	1573	2486	3853	5544
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	7233	8690	11528	15598						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (LCC)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	285	372	408	600	828	1158	1573	2486	3853	5544
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	7233	8690	11528	15598						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WSSSM10									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		API Overlay
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Inconel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	382	474	562	822	987	1401	2112	3138	4749	6765
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	9526	12912	15092	19564						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	469	596	721	1133	1474	2013	3328	5368	8773	9730
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	12623	14740	19877	26510						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSM10										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	551	675	917	1245	1827	2151	3553	5715	9191	11655
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	16539	20048	25784	33468						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR300WSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	341	408	459	679	658	1218	1915	2924	4137	7898
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	11495	14289	17177	22171						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	341	408	459	679	658	1218	1915	2924	4137	7898
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	11495	14289	17177	22171						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	435	507	607	860	970	1621	2407	3541	5047	9526
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Unit Price	13459	17012	19927	25608						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	560	739	887	1218	1799	2750	4527	6765	10516	14960
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	22990	26945	33594	42284						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSSM10										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	607	882	1048	1287	1925	2882	4752	7117	10934	18304
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	25966	35167	38159	47212						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR600WSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	428	463	551	843	1304	1953	3241	5157	7426	8961
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	13877	19993	24811	36267						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	428	463	551	843	1304	1953	3241	5157	7426	8961
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	13877	19993	24811	36267						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSM10										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	496	585	668	993	1436	2126	3640	5564	8191	13002
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	15923	23056	27995	38852						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSV										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	660	849	1013	1843	3883	4719	7618	14146	19107	26983
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	29519	41800	53196	75262						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSM10										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	662	937	1103	1920	3999	4846	7843	14493	19525	24904
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	33314	46860	59136	82742						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR150LSSSV										
M.A.W.P.	285 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	523	770	831	1199	1694	2057	3212	5572	8861	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LLCSSV										
M.A.W.P.	290 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	523	770	831	1199	1694	2057	3212	5572	8861	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	759	1238	1238	1898	2833	3267	5577	10230	17518	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	644	908	968	1513	2112	2723	3960	7249	10846	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	644	908	968	1513	2112	2723	3960	7249	10846	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1111	1568	1628	2723	3944	4901	7359	14361	22110	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	836	1122	1326	2041	3476	4648	7288	12975	18689	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	836	1122	1326	2041	3476	4648	7288	12975	18689	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.:	1440 psig at 100 F		End Connection:			Lug		Seat Material:		Viton
Body:	316 SS (CF8M)		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1298	1799	2057	3388	6490	8591	13987	27297	39600	P.O.A.
Unit Weight - Lbs:	7	11	13	28	30	80	160	260	360	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs:										

Dual Disc Check Valve Inconel X750 Valve Springs

ITEM: Inconel X750 Valve Springs										
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	66	83	83	83	165	176	319	534	644	1529
Unit Weight - Lbs	1	1	1	1	1	2	2	3	3	3
Size	16"	18"	20"	24"						
Item Price:	2910	2998	3300	4928						
Unit Weight - Lbs	4	4	4	4						

Silent Threaded (N.P.T.) Check Valves

NOTE:	Socketweld end caps available, consult factory for pricing and availability									
ITEM #:	SC600TSSSM									
M.A.W.P.:	600 psig at 150 F		End Connection:			N.P.T.		Seat Material:		Metal
Body Material:	316 SS (CF8M)		Disc Material:			316 SS (CF8M)		Spring:		Stainless Steel
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	
Item Price:	89	89	114	139	181	252	318	513	843	
Item Weight - Lbs.:	1	1	1	3	3.5	4	5	5.5	6	
Note:	1-1/4" SC600 is a 1-1/2" SC600 bushed down									

Silent Wafer Check Valves

ITEM #:	SC125WIBM									
M.A.W.P.:	200 psig at 150 F		End Connection:			Wafer		Seat Material:		Bronze
Body Material:	Cast Iron		Disc Material:			Bronze		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	162	195	268	528	760	970	2261	3651	6740	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #:	SC125WISSM									
M.A.W.P.:	200 psig at 150 F		End Connection:			Wafer		Seat Material:		Stainless Steel
Body Material:	Cast Iron		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	176	209	282	480	817	1019	2371	3823	7062	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #:	SC150WSSSM									
M.A.W.P.:	285 psig at 100 F		End Connection:			Wafer		Seat Material:		316 SS
Body Material:	Carbon Steel		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	223	267	360	634	1024	1368	2859	4781	8674	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #: SC150WSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	Wafer			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	430	508	689	1162	2022	2674	5908	10426	P.O.A.	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173		

Silent Flanged Check Valves

ITEM #: SC125FIBM										
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged			Seat Material:	Bronze		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	487	624	768	1040	1563	1865	3132	4740	7855	12313
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"								
Item Price:	14695	16325								
Item Weight - Lbs.:	650	892								

ITEM #: SC150FSSSM										
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	727	880	1135	1595	2119	2758	4767	7300	11536	15683
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"	20"	24"						
Item Price:	20961	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:	650									

ITEM #: SC150FSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1814	2409	3564	4467	6084	7050	12720	20277	38534	P.O.A.
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #: SC300FSSSM										
M.A.W.P.:	740 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1155	1397	1760	2651	3663	4499	8239	12650	19058	P.O.A.
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #:	SC300FSSSSM									
M.A.W.P.:	720 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	3526	4092	5423	8223	11820	13321	24063	39050	70620	
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

Soft Seats for Silent Check Valves

ITEM:	Soft Seat Adder for Silent Check Valves									
Material	Viton									
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	676	720	725	971	1013	1061	1150	1244	1260	

Foot Valves

ITEM #:	FV125FIBB									
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 lb. FF Flanged			Seat Material:	Buna-N		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1408	1738	1931	2376	3168	4092	5060	7684	10989	16759
Item Weight - Lbs.:	25	32	45	70	90	115	181	265	425	550
Size:	16"									
Item Price:	P.O.A.									
Item Weight - Lbs.:										

ITEM #:	FV150FSSSB									
M.A.W.P.:	285 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Buna-N		
Body Material:	Carbon Steel (WCB)		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1749	2041	2321	3135	3916	4444	6919	9900	14355	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #:	FV150FSSSSV									
M.A.W.P.:	275 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Viton		
Body Material:	316 SS		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	3025	3845	4961	6160	8305	9361	15527	23832	42460	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

Resilient Seated Butterfly Valves

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Ductile Iron		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	58	73	87	120	164	191	294	445	614	869		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	1474	1817	2184	3969	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Bronze		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	76	99	119	201	278	353	585	998	1475	2088		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3302	4295	5494	9579	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	71	90	108	172	238	294	478	795	1157	1665		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	2656	3400	4316	7563	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSTB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F				End Connection:		Wafer		Seat Material:		Teflon	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"			
Item Price:	92	125	154	228	337	430	681	1069	1675			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70			

ITEM #:	BI126WDSSVB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Viton	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	140	171	209	327	448	535	778	1301	2042	2426		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4116	5193	6248	11348	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDDB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	Ductile Iron				Shaft Material:	416 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	77	93	105	150	202	240	364	548	790	1145			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	1831	2355	3052	4651	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDBB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	Bronze				Shaft Material:	416 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	90	119	135	232	314	394	637	1100	1642	2331			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3646	4766	6342	10241	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	89	108	127	203	276	345	549	1225	1336	1945			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3020	3946	5197	8257	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSTB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Teflon		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	129	165	198	293	389	494	776	1560	1889	2549			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3816	5251	7398	12064	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSVB										Operator:	Bare	
M.A.W.P.:	200 psig at 150 F				End Connection:	Lug				Seat Material:	Viton		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	159	189	216	358	485	585	849	1731	2042	2706			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	4479	5739	7129	12042	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

OPERATOR OPTIONS for Resilient Seated Butterfly Valves

ITEM:	Price Adders for Lever Handle c/w 10 Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	17	17	17	17	17	17	23	27	27	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Lever Handle Infinite Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	15	15	15	15	16	16	21	21	21	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Manual Gear c/w Wheel										
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	66	66	66	66	66	66	131	131	142	142	
Item Weight - Lbs.:	10	10	10	10	10	10	28	28	33	33	
Size:	16"	18"	20"	24"	30"	36"	42"	48"			
Item Price:	520	520	520	872	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Item Weight - Lbs.:	71	71	80	80							

High Performance Butterfly Valves

MODEL	HB150WSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR									
M.A.W.P.	285 psig at 100 F				End Connection:				Wafer				Seat:				RTFE				
Body:	Carbon Steel (WCB)				Disc:				316 SS				Shaft:				316 SS				
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"											
Item Price:	906	1095	1184	1467	1877	2323	3744	4616	6508	7951											
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187											
Size	16"	18"	20"	24"																	
Item Price:	9792	12339	15488	21788																	
Unit Weight - Lbs	255	352	455	704																	

MODEL	HB150LSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR									
M.A.W.P.	285 psig at 100 F				End Connection:				Lug				Seat:				RTFE				
Body:	Carbon Steel (WCB)				Disc:				316 SS				Shaft:				316 SS				
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"											
Item Price:	1007	1132	1251	1812	2025	2428	3926	4932	7215	8653											
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216											
Size	16"	18"	20"	24"																	
Item Price:	13753	12503	18468	21824																	
Unit Weight - Lbs	315	462	572	880																	

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR									
M.A.W.P.	275 psig at 100 F				End Connection:				Wafer				Seat:				RTFE				
Body:	316 SS (CF8M)				Disc:				316 SS				Shaft:				316 SS				
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"											
Item Price:	1056	1377	1489	1964	2472	3149	4974	6061	8570	10633											
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187											
Size	16"	18"	20"	24"																	
Item Price:	13277	16657	20343	28422																	
Unit Weight - Lbs	255	352	455	704																	

MODEL	HB150LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	275 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1258	1511	1653	2316	2837	3373	5361	6813	10223	12650	
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216	
Size	16"	18"	20"	24"							
Item Price:	16598	20477	26472	34676							
Unit Weight - Lbs	315	462	572	880							

MODEL	HB300WSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	956	1065	1274	1579	2011	2368	3826	4803	7037	8459	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"	18"	20"	24"							
Item Price:	10923	13396	17669	23880							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1108	1229	1363	1913	2204	2651	4222	5719	7774	10358	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	12882	16992	20753	28959							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB300WSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1208	1489	1758	2242	2756	3284	5309	6628	9948	12175	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"	18"	20"	24"							
Item Price:	15525	19509	26545	33813							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1460	1758	1944	2576	3269	3924	6114	8742	11519	17468	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	20820	29629	35057	48155							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB600WSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1480 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1934	2394	2900	3596	3820	4465	6076	9621	14073	16710
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	21846	26423	34848	47092						
Unit Weight - Lbs										

MODEL	HB600LSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1480 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2118	2808	3361	3590	4189	5018	7043	12521	14915	19702
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	24076	31119	38412	51742						
Unit Weight - Lbs										

MODEL	HB600WSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1440 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2440	2855	3177	4374	5294	6123	9115	13305	19656	24030
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	30613	38485	52386	66739						
Unit Weight - Lbs										

MODEL	HB600LSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1440 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2855	3268	3867	5063	5893	6813	9988	18828	22418	34433
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	37425	49947	60903	80099						
Unit Weight - Lbs										

Operator Options for High Performance Butterfly Valve

ITEM:	Price Adders: Manual Gear, c/w Handwheel									
	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	1095	1095	1095	1095	1317	1317				
Item Weight - Lbs.:	1.5	2	2	2	3	4				

Replacement Parts - High Performance Butterfly Valve

ITEM:	Replacement RTFE Seats									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	111	144	144	233	320	320	513	667	1115	1200
Size	16"	18"	20"	24"						
Item Price:	1624	2693	3163	4530						

ITEM:	Replacement Packing									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	67	67	67	69	74	74	78	99	123	146
Size	16"	18"	20"	24"						
Item Price:	174	189	389	432						

ITEM:	Replacement Gasket									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	10	10	10	13	13	13	17	21	23	25
Size	16"	18"	20"	24"						
Item Price:	28	34	37	48						

Flanged Triple Duty Valves

Note: Bronze disc model TD125FIBE has been discontinued										
ITEM #:	TD125FIDE									
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Disc Material:		C.I. Nickel Plated	
Body Material:	Cast Iron		Guide:		Cast Iron		O-Ring:		EPDM	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	424	510	634	1362	1820	2303	3929	6136	9773	11777
Item Weight - Lbs.:	34	40	50	100	155	200	350	480	660	790

N.P.T. and Flanged Drip Pan Elbows

ITEM #:	D125PE									
M.A.W.P.:	200 psig at 150 F		End Connection:		3/4" - 4", N.P.T.		6" & 8", 125 Lb. FF Flanged			
Body Material:	Cast Iron									
Size:	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
Item Price:	32	32	84	84	95	131	203	247	730	1340
Item Weight - Lbs.:	2	2	7.5	7.5	8.5	12	19	25	105	202

Neoprene Connectors

ITEM #:	AUM (CTNT) Extended Double Sphere									
M.A.W.P.:	150 psig at 200 F		End Connection:		N.P.T.		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Nylon Cloth		Union:		Zinc Plated C.I.	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	43	61	62	69	81	101	P.O.A.	P.O.A.		
Item Weight - Lbs.:	1	2	3	4	5	6				

ITEM #:	ASM (CFNS) Single Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Single	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"
Item Price:	54	62	81	110	133	178	244	316	455	673
Item Weight - Lbs.:	5	6	8	12	14	18	23	26	40	56
Size:	12"	14"	16"	18"	20"	24"				
Item Price:	917	1162	1436	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	85	99	128							

ITEM #:	ATM (CFNT) Double Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	77	100	127	155	227	298	382	661	839	1125
Item Weight - Lbs.:	6	8	12	14	18	23	28	45	62	90

Unibody Threaded End Ball Valves

ITEM #:	1RB20TCSCO Firesafe									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Oval Latching	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		1 pc Reduded Port		Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	69	69	69	77	100	143	189	249		
Item Weight - Lbs.:	1	1	1	1	2	3	4	5		

ITEM #:	1RB20TCSSCO Firesafe									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Oval Latching	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		1 pc Reduded Port		Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	88	88	88	99	138	205	281	370		
Item Weight - Lbs.:	1	1	1	1	2	3	4	5		

Two Piece Threaded End Ball Valves

ITEM #:	2FB6TBBTN (NPT End)									
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.		Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	11	11	19	26	36	61	85	127	275	341
Item Weight - Lbs.:	1	1	1	1	1	2	2	3	6	10
Size:	4"									
Item Price:	671									
Item Weight - Lbs.:	19									

ITEM #:	2FB6SBBTN (Sweat End)									
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.		Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	
Item Price:	15	25	33	59	87	127	248	347	578	
Item Weight - Lbs.:	1	1	1	2	2	3	6	10	19	

ITEM #:	2FB10TSSTL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	24	24	24	32	52	76	105	145		
Item Weight - Lbs.:	1	1	1	1	2	2	4	6		

Three Piece Threaded End Ball Valves

ITEM #:	3FB10TSSRL / 3FB10SWSSRL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Operator:		Latching Lever	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Full Port		Seat Material:		RTFE	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	29	29	53	70	95	193	193	268		
Item Weight - Lbs.:	1	1	2	2	3	5	7	10		

ITEM #:	3SB20TCSCSCL / 3SB20SWCSCSCL									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		Polycarbon	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	123	151	217	360	380	567				
Item Weight - Lbs.:	2	3	4	6	8	11				

ITEM #:	3SB20TSSRL / 3SB20SWSSRL										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever		
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		RTFE		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"					
Item Price:	103	127	180	300	316	470					
Item Weight - Lbs.:	2	3	4	6	8	11					