

N.P.T., Socket Weld and Sweat End Y-Strainers

Y250TIT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TIT										
M.A.W.P.:	400 psig at 150 F			End Connection:	N.P.T.			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	15	15	15	23	28	43	58	94	193	227
Spare Gasket Price:	12	12	12	16	21	26	38	46	53	53
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	2	2	2	3	3	6	8	13	22	30

Y125TBT/SBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y125TBT / Y125SBT										
M.A.W.P.:	200 psig at 150 F			End Connection:	N.P.T. / Sweat			Drain Connection:	N.P.T.	
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	36	36	36	49	76	113	154	231	389	568
Spare Gasket Price:	9	9	9	14	17	22	32	38	44	44
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	4	11	16

Y250TBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TBT										
M.A.W.P.:	400 psig at 150 F			End Connection:	N.P.T.			Drain Connection:	N.P.T.	
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Silicon	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	42	62	99	136	209	348	598	809		
Spare Gasket Price:	3	3	4	6	6	8	8	13		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	1	2	2	3	4	8	10	13		

ITEM #: Y300TST / Y300SWST										
M.A.W.P.:	740 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	79	79	79	93	140	183	212	359	747	1120
Spare Gasket Price:	7	7	7	9	9	12	12	14	19	19
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	5	6	8

ITEM #: Y300TSST / Y300WSST										
M.A.W.P.:	720 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	Teflon		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	133	133	133	156	245	320	360	618	1224	1836
Spare Gasket Price:	7	7	7	9	9	12	12	14	19	19
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs:	1	1	1	1	2	2	3	5	6	8

ITEM # Y600TST / Y600WSST / Y600TSB / Y600WSB										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	75	89	133	178	238	340	1835	2100		
Spare Gasket Price:	19	21	25	26	31	34	43	48		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs:	2	3	5	7	10	15	63	77		

ITEM #: Y600TSST / Y600WSST / Y600TSB / Y600WSB										
M.A.W.P.:	1440 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	152	195	347	571	680	976	4556	5246		
Spare Gasket Price:	19	21	25	26	31	34	43	48		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	2	3	5	7	10	15	63	77		

ITEM #: Y600TLCT / Y600SWLCT										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Low Temp C.S.			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	157	178	309	P.O.A.	581	829				
Spare Gasket Price:	19	21	25		31	34				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y600TA20T / Y600SWA20T										
M.A.W.P.:	1200 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Alloy 20 (CN7M)			Screen:	Alloy 20 (CN7M)		Gasket:	Alloy 20 Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	404	512	781	P.O.A.	1488	2202				
Spare Gasket Price:	266	319	319		377	436				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y1500TST / Y1500SWST									
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"						
Item Price:	136	217	375						
Spare Gasket Price:	22	25	29						
Std. Screen Size:	0.032"	0.032"	0.032"						
Item Weight - Lbs.:	3	5	7						

ITEM #: Y1500TSST / Y1500SWSST									
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"						
Item Price:	314	427	774						
Spare Gasket Price:	22	25	29						
Std. Screen Size:	0.032"	0.032"	0.032"						
Item Weight - Lbs.:	3	5	7						

ITEM #: Y1500TSB / Y1500SWSB									
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	295	472	823	880	880	1210			
Spare Gasket Price:	21	24	28	30	32	37			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500TSSB / Y1500SWSSB									
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional	
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	587	760	1217	2072	2072	2886			
Spare Gasket Price:	21	24	28	30	32	37			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500T52CMB / Y1500SW52CMB									
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	454	641	799	1277	1440	1863			
Spare Gasket Price:	22	25	29	32	34	39			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500T52CMT / Y1500SW52CMT										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"							
Item Price:	176	278	484							
Spare Gasket Price:	22	25	29							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

Flanged, Buttweld and RTJ Y-Strainers

ITEM #: Y125FDIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	93	134	171	273	368	517	890	1667	2287	
Spare Gasket Price:	11	11	21	21	32	57	78	100	122	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	22	35	43	75	115	154	243	390	650	

ITEM #: Y125FIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	14"	16"	18"	20"	24"					
Item Price:	7579	10114	12506	15452	19387					
Sp. Gasket Price:	143	152	160	236	281					
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"					
Item Weight - Lbs.:	815	1224	1895	3350	4705					

ITEM #: Y250FDIB										
M.A.W.P.:	500 psig at 150 F			End Connection:	250 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron (A395)			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	439	599	841	1394	1813	2564	3635	6687	10542	
Spare Gasket Price:	5	5	11	11	16	27	39	61	100	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	28	38	54	110	160	224	468	590	750	

ITEM #: Y150FBB											
M.A.W.P.:	225 psig at 150 F			End Connection:	150 Lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Teflon		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1900	2660	3338	6113	9071	11914	20456	33262	48133	P.O.A	
Spare Gasket Price:	12	15	18	26	38	58	86	116	173		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs.:	20	32	36	61	110	160	210	440	585		

ITEM #: Y150FSB											
M.A.W.P.:	285 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	
Item Price:	189	250	339	421	466	680	822	1311	1968	2402	
Spare Gasket Price:	19	19	21	26	33	46	46	56	58	70	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	160	
Size:	8"	10"	12"	14"	16"	18"	20"	24"			
Item Price:	3892	8366	11822	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Spare Gasket Price:	83	140	182								
Std. Screen Size:	0.125"	0.125"	0.125"								
Item Weight - Lbs.:	210	440	585								

ITEM #: Y150FSSB											
M.A.W.P.:	275 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"		
Item Price:	413	527	702	941	1277	2094	2552	3743	6315		
Spare Gasket Price:	17	17	19	24	30	42	42	51	53		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"		
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110		
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	7464	12013	25131	35009	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	64	75	127	165							
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"							
Item Weight - Lbs.:	160	210	440	585							

ITEM #: Y300FSB											
M.A.W.P.:	740 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"		
Item Price:	218	427	558	589	552	846	1188	1752	3947		
Spare Gasket Price:	19	19	21	26	33	46	46	56	58		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"		
Item Weight - Lbs:	8	14	15	26	32	36	55	88	180		
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	3702	5946	10694	16731	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	70	83	140	182							
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"							
Item Weight - Lbs:	200	290	520	680							

ITEM #: Y300BWSB											
M.A.W.P.:	740 psig at 100 F			End Connection:	Buttweld			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	1885	2082	2662	3025	4907	4910	6689	10655	14216		
Spare Gasket Price:	33	46	46	56	58	70	83	140	182		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	15	25	45	68	90	120	170	360	550		

ITEM #: Y300FSSB											
M.A.W.P.:	720 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	
Item Price:	572	873	950	1851	1725	2626	3427	5479	P.O.A.	10889	
Spare Gasket Price:	19	19	21	26	33	46	46	56		70	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"		0.125"	
Item Weight - Lbs:	8	14	15	26	32	36	55	88		200	
Size:	8"	10"	12"	14"	16"	18"	20"	24"			
Item Price:	18541	34231	53188	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Spare Gasket Price:	83	140	182								
Std. Screen Size:	0.125"	0.125"	0.125"								
Item Weight - Lbs:	290	520	680								

ITEM #: Y600FSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1166	P.O.A.	2391	4149	P.O.A.	7686	12465	23896	35312
Spare Gasket Price:	44		58	79		108	129	169	194
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1286	P.O.A.	2624	4573	P.O.A.	8445	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	201		431	503		666			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y600FSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3567	P.O.A.	6597	13252	P.O.A.	24092	38376	72159	93529
Spare Gasket Price:	44		58	79		108	129	169	194
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3920	P.O.A.	7249	14578	P.O.A.	26511	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	201		431	503		666			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y900FSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2723	P.O.A.	3421	5277	P.O.A.	11713	20843	29952	P.O.A.
Spare Gasket Price:	107		155	208		259	337	387	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	
Item Weight - Lbs:	125		163	253		550	1075	1950	

ITEM #: Y900RTJSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3011	P.O.A.	3758	5804	P.O.A.	12876	22927	P.O.A.	P.O.A.
Spare Gasket Price:	288		431	503		661	976		
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"		
Item Weight - Lbs:	125		163	253		550	1075		

ITEM #: Y900FSSB									
M.A.W.P.:	2160 psig		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	8235	P.O.A.	10632	16057	P.O.A.	34445	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	107		155	208		259			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y900RTJSSB									
M.A.W.P.:	2160 psig		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	9048	P.O.A.	11470	17326	P.O.A.	37175	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	288		431	503		661			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y1500FSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2723	3719	5423	7985	P.O.A.	17019	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	107	130	155	207		259			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2985	P.O.A.	5964	8788	P.O.A.	18717	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	288		474	560		761			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM #: Y1500FSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RF		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	8007	11750	17419	24154	P.O.A.	54695	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	107	130	155	207		259				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"				
Item Weight - Lbs:	125	197	234	355		812				

ITEM #: Y1500RTJSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RTJ Flanged		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Oval Ring		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	8808	P.O.A.	17480	26560	P.O.A.	60165	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	288		474	560		761				
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"				
Item Weight - Lbs:	125		234	355		812				

ITEM: Spare Screens									
Screen Material:	Spare Screen Pricing for Y-Strainers and Suction Diffusers, Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	22	22	22	24	40	61	68	98	136
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250, 300, MESH LINING ONLY	13	13	13	14	22	30	35	55	76
MESH COMPLETE W/ PERF. SUPPORT	35	35	35	38	62	91	102	153	212
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	181	301	437	603	1009	1475	2031	2661	3368
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250, 300, MESH LINING ONLY	92	151	219	301	504	736	1015	1332	1685
MESH COMPLETE W/ PERF. SUPPORT	274	452	656	903	1512	2211	3046	3994	5054

N.P.T. and Socket Weld Basket Strainers

ITEM #:	B125TIR2						Cover Type:		Rotating Type	
M.A.W.P.:	200 psig at 100 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-Ring	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	
Item Price:	551	551	551	627	721	848	1095	1221	1429	
Spare Gasket Price:	7	7	7	7	13	13	14	23	29	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs:	10	18	10	18	18	30	50	62	62	

ITEM #:	B300TSB2 / B300WSB2						Cover Type:		Bolted	
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	455	613	613	938	938	1279				
Spare Gasket Price:	26	29	29	32	32	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSC2 / B300SWSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	624	781	781	1205	1205	1537				
Spare Gasket Price:	26	29	29	32	32	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

ITEM #:	B300TSSB2 / B300SWSSB2						Cover Type:		Bolted	
M.A.W.P.:	720 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1159	1441	1441	2548	2548	3451				
Spare Gasket Price:	26	29	29	32	32	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSSC2 / B300SWSSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1414	1695	1695	2928	2928	3832				
Spare Gasket Price:	26	29	29	32	32	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

Flanged Basket Strainers

ITEM #:	B125FIB1						Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	282	379	517	612	961	1255	2346	3779	5735	11409
Spare Gasket Price:	16	23	23	34	38	44	55	79	91	100
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	1010
Size:	16"	18"	20"	24"						
Item Price:	13734	20767	28254	36945						
Sp. Gasket Price:	193	218	242	263						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	1041	1446	1980	2790						

ITEM #:	B125FIC1						Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	447	526	635	785	1057	1369	2298	3575	5792	
Spare Gasket Price:	16	23	23	34	38	44	55	79	91	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	

ITEM #:	B125FIY1						Cover Type:		Yoke	
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-ring	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	386	472	585	974	1462	1751	2895	5045	8371	
Spare Gasket Price:	8	8	8	9	9	13	22	30	43	
Std. Screen Size:	0.0625"	0.0625"	0.0625"	0.0625"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	27	29	42	65	95	148	198	350	720	

ITEM #:	B150FBB1					Cover Type:			Bolted
M.A.W.P.:	225 psig at 150 F		End Connection:	150 Lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)		Screen:	304 SS		Gasket:	Teflon		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2148	3720	4143	6426	8541	11940	21648	33486	56656
Spare Gasket Price:	13	16	20	27	37	58	86	110	158
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670

ITEM #:	B150FSB1					Cover Type:			Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	642	888	1238	1906	2653	2955	5627	8588	13295
Spare Gasket Price:	36	36	43	46	91	79	97	130	145
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	100	124	270	385	670
Note: B150FSB1 & B150FSSB1 come with a Teflon gasket from factory; replacement gasket is 304SS Spiral wound									

ITEM #:	B150FSSB1					Cover Type:			Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1599	1822	2706	4055	P.O.A.	6699	12276	17569	29966
Spare Gasket Price:	36	36	43	46		79	97	130	145
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70		124	270	385	670

ITEM #:	B150FSB2					Cover Type:			Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	
Item Price:	584	1024	P.O.A.	1868	2660	P.O.A.	5265	8273	
Spare Gasket Price:	31	36		43	46		79	97	
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"	
Item Weight - Lbs:	24	46		85	120		237	372	

ITEM #:	B150FSSB2					Cover Type:			Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	
Item Price:	1863	2706	P.O.A.	4610	6846	P.O.A.	13949	23757	
Spare Gasket Price:	31	36		43	46		79	97	
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"	
Item Weight - Lbs:	24	46		85	120		237	372	

Flanged Dual Basket Assembly Strainers

NOTE: Pricing for spare gaskets are for one [1]; you need to double this for both sides

ITEM #:	DB125FIBC2					Cover Type:		Bolted	
M.A.W.P.:	200 psig at 100 F		End Connection:	125 lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	5023	6698	8251	9769	15343	26362	40213
Spare Gasket Price:			34	36	40	46	58	83	96
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

ITEM #:	DB125FICC2					Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:	125 lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	6095	8127	9858	11288	17199	28398	42865
Spare Gasket Price:			34	36	40	46	58	83	96
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

Flanged Suction Diffusers

(Inlet x Outlet/pump)											
ITEM #:	SC125FIB					Cover Type:		Bolted			
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged		Drain Connection:	Standard				
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Buna-N O-Ring				
Size:	2"x1-1/2"	2"x2"	2-1/2"x2"	2-1/2"x2-1/2"	3"x2"	3"x2-1/2"	3"x3"	4"x3"	4"x4"	5"x4"	
Item Price:	247	265	331	351	358	461	489	654	677	984	
Spare Gasket Price:	9	9	15	15	20	20	20	33	33	44	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	21	21	23	32	34	45	49	55	70	92	
Size:	5"x5"	6"x4"	6"x5"	6"x6"	8"x5"	8"x6"	8"x8"	10"x8"	10"x10"	12"x8"	
Item Price:	1003	1041	1314	1394	1649	1685	2294	2908	3425	4132	
Spare Gasket Price:	44	44	53	53	53	53	106	106	150	150	
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	97	132	145	182	197	197	292	312	422	412	
Size:	12"x10"	12"x12"									
Item Price:	4361	4546									
Spare Gasket Price:	182	182									
Std. Screen Size:	0.125"	0.125"									
Item Weight - Lbs:	491	573									

Spare Baskets for Basket and Dual Basket Strainers

ITEM: Spare Baskets									
Screen Material:	Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	N/A	N/A	159	159	159	159	159	159	242
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	N/A	N/A	81	81	81	81	81	81	123
MESH COMPLETE W/ PERF. SUPPORT	N/A	N/A	239	239	239	239	239	239	365
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	278	355	555	769	1107	1383	1658	1937	2214
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	139	177	278	386	555	693	830	969	1109
MESH COMPLETE W/ PERF. SUPPORT	417	532	834	1155	1662	2077	2489	2906	3322

Perforated Cone & Basket Strainers

ITEM #: TC150SS4W1 / TC300SS4W1 / TC600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Conical	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	149	149	167	202	279	306	358	476	521
Perf c/w Mesh		212	212	231	268	349	380	482	607	666
Perforation:	150%	152	152	171	210	289	317	375	508	572
Perf c/w Mesh		215	215	238	281	367	399	505	655	740
Perforation:	200%	154	154	176	218	301	330	394	633	759
Perf c/w Mesh		218	218	242	295	383	418	532	743	833
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	650	894	1042	1280	1527	1837	2071	2758	
Perf c/w Mesh		868	1225	1425	1714	2045	2452	2778	3783	
Perforation:	150%	735	1048	1269	1538	1852	2239	2558	3419	
Perf c/w Mesh		996	1453	1768	2097	2531	3053	3504	4816	
Perforation:	200%	835	1200	1348	1791	2145	2639	3086	4231	
Perf c/w Mesh		1148	1680	1880	2478	3619	3654	4293	5997	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

ITEM #: TB150SS4W1 / TB300SS4W1 / TB600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Basket	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	149	149	167	202	279	306	358	476	521
Perf c/w Mesh		212	212	231	268	349	380	482	607	666
Perforation:	150%	152	152	171	210	289	317	375	508	572
Perf c/w Mesh		215	215	238	281	367	399	505	655	740
Perforation:	200%	154	154	176	218	301	330	394	633	759
Perf c/w Mesh		218	218	242	295	383	418	532	743	833
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	650	894	1042	1280	1527	1837	2071	2758	
Perf c/w Mesh		867.90	1225.40	1424.50	1713.80	2044.90	2451.90	2777.50	3782.90	
Perforation:	150%	735	1048	1269	1538	1852	2239	2558	3419	
Perf c/w Mesh		996	1453	1768	2097	2531	3053	3504	4816	
Perforation:	200%	835	1200	1348	1791	2145	2639	3086	4231	
Perf c/w Mesh		1148	1680	1880	2478	3619	3654	4293	5997	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

Dual Disc Check Valves

ITEM#:	DC125WIBB		(DC126WIBB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		Bronze			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	65	78	115	176	233	338	592	974	1386	2172
Unit Weight - Lbs	4.5	5.5	7	11.5	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	3186	4776	5840	8108						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DC125WISSB		(DC126WISSB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	54	78	96	147	181	262	476	790	1134	1816
Unit Weight - Lbs	5	6	7	12	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	2464	3679	4655	6838						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DR150WSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	299	391	428	630	869	1216	1652	2610	4046	5821
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	7595	9125	12104	16378						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (LCC)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	299	391	428	630	869	1216	1652	2610	4046	5821
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	7595	9125	12104	16378						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WSSSM10									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		API Overlay
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Inconel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	401	498	590	863	1036	1471	2218	3295	4986	7103
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	10002	13558	15847	20542						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	492	626	757	1190	1548	2114	3494	5636	9212	10217
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	13254	15477	20871	27836						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSM10										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	579	709	963	1307	1918	2259	3731	6001	9651	12238
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	17366	21050	27073	35141						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR300WSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	358	428	482	713	691	1279	2011	3070	4344	8293
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	12070	15003	18036	23280						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	358	428	482	713	691	1279	2011	3070	4344	8293
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	12070	15003	18036	23280						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	457	532	637	903	1019	1702	2527	3718	5299	10002
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Unit Price	14132	17863	20923	26888						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	588	776	931	1279	1889	2888	4753	7103	11042	15708
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	24140	28292	35274	44398						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	637	926	1100	1351	2021	3026	4990	7473	11481	19219
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	27264	36925	40067	49573						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR600WSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	449	486	579	885	1369	2051	3403	5415	7797	9409
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	14571	20993	26052	38080						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	449	486	579	885	1369	2051	3403	5415	7797	9409
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	14571	20993	26052	38080						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSM10										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	521	614	701	1043	1508	2232	3822	5842	8601	13652
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	16719	24209	29395	40795						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSV										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	693	891	1064	1935	4077	4955	7999	14853	20062	28332
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	30995	43890	55856	79025						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSM10										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	695	984	1158	2016	4199	5088	8235	15218	20501	26149
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	34980	49203	62093	86879						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR150LSSSV										
M.A.W.P.	285 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	549	809	873	1259	1779	2160	3373	5851	9304	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LLCSSV										
M.A.W.P.	290 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	549	809	873	1259	1779	2160	3373	5851	9304	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	797	1300	1300	1993	2975	3430	5856	10742	18394	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	676	953	1016	1589	2218	2859	4158	7611	11388	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	676	953	1016	1589	2218	2859	4158	7611	11388	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1167	1646	1709	2859	4141	5146	7727	15079	23216	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	878	1178	1392	2143	3650	4880	7652	13624	19623	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	878	1178	1392	2143	3650	4880	7652	13624	19623	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.:	1440 psig at 100 F		End Connection:			Lug		Seat Material:		Viton
Body:	316 SS (CF8M)		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1363	1889	2160	3557	6815	9021	14686	28662	41580	P.O.A.
Unit Weight - Lbs:	7	11	13	28	30	80	160	260	360	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs:										

Dual Disc Check Valve Inconel X750 Valve Springs

ITEM: Inconel X750 Valve Springs										
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	69	87	87	87	173	185	335	561	676	1605
Unit Weight - Lbs	1	1	1	1	1	2	2	3	3	3
Size	16"	18"	20"	24"						
Item Price:	3056	3148	3465	5174						
Unit Weight - Lbs	4	4	4	4						

Silent Threaded (N.P.T.) Check Valves

NOTE:	Socketweld end caps available, consult factory for pricing and availability									
ITEM #:	SC600TSSSSM									
M.A.W.P.:	600 psig at 150 F		End Connection:			N.P.T.		Seat Material:		Metal
Body Material:	316 SS (CF8M)		Disc Material:			316 SS (CF8M)		Spring:		Stainless Steel
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	
Item Price:	84	84	108	131	171	238	300	485	797	
Item Weight - Lbs.:	1	1	1	3	3.5	4	5	5.5	6	
Note:	1-1/4" SC600 is a 1-1/2" SC600 bushed down									

Silent Wafer Check Valves

ITEM #:	SC125WIBM									
M.A.W.P.:	200 psig at 150 F		End Connection:			Wafer		Seat Material:		Bronze
Body Material:	Cast Iron		Disc Material:			Bronze		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	186	224	308	607	874	1116	2600	4199	7751	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #:	SC125WISSM									
M.A.W.P.:	200 psig at 150 F		End Connection:			Wafer		Seat Material:		Stainless Steel
Body Material:	Cast Iron		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	202	240	324	552	940	1172	2727	4396	8121	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #:	SC150WSSSM									
M.A.W.P.:	285 psig at 100 F		End Connection:			Wafer		Seat Material:		316 SS
Body Material:	Carbon Steel		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	256	307	414	729	1178	1573	3288	5498	9975	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #: SC150WSSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:		Wafer		Seat Material:		316 SS	
Body Material:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	495	584	792	1336	2325	3075	6794	11990	P.O.A.	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173		

Silent Flanged Check Valves

ITEM #: SC125FIBM										
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Seat Material:		Bronze	
Body Material:	Cast Iron		Disc Material:		Bronze		Spring:		Stainless Steel	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	560	718	883	1196	1797	2145	3602	5451	9033	14160
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"								
Item Price:	16899	18774								
Item Weight - Lbs.:	650	892								

ITEM #: SC150FSSSM										
M.A.W.P.:	285 psig at 100 F		End Connection:		150 Lb. RF Flanged		Seat Material:		316 SS	
Body Material:	Carbon Steel		Disc Material:		316 SS		Spring:		Stainless Steel	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	836	1012	1305	1834	2437	3172	5482	8395	13266	18035
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"	20"	24"						
Item Price:	24105	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:	650									

ITEM #: SC150FSSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:		150 Lb. RF Flanged		Seat Material:		316 SS	
Body Material:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2086	2770	4099	5137	6997	8108	14628	23319	44314	P.O.A.
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #: SC300FSSSM										
M.A.W.P.:	740 psig at 100 F		End Connection:		300 Lb. RF Flanged		Seat Material:		316 SS	
Body Material:	Carbon Steel		Disc Material:		316 SS		Spring:		Stainless Steel	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1328	1607	2024	3049	4212	5174	9475	14548	21917	P.O.A.
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #:	SC300FSSSM									
M.A.W.P.:	720 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	4055	4706	6236	9456	13593	15319	27672	44908	81213	
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

Soft Seats for Silent Check Valves

ITEM:	Soft Seat Adder for Silent Check Valves									
Material	Viton									
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	777	828	834	1117	1165	1220	1323	1431	1449	

Foot Valves

ITEM #:	FV125FIBB									
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 lb. FF Flanged			Seat Material:	Buna-N		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1619	1999	2221	2732	3643	4706	5819	8837	12637	19273
Item Weight - Lbs.:	25	32	45	70	90	115	181	265	425	550
Size:	16"									
Item Price:	P.O.A.									
Item Weight - Lbs.:										

ITEM #:	FV150FSSSB									
M.A.W.P.:	285 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Buna-N		
Body Material:	Carbon Steel (WCB)		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2011	2347	2669	3605	4503	5111	7957	11385	16508	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #:	FV150FSSSV									
M.A.W.P.:	275 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Viton		
Body Material:	316 SS		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	3479	4422	5705	7084	9551	10765	17856	27407	48829	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

Resilient Seated Butterfly Valves

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Ductile Iron		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	61	77	91	126	172	201	309	467	645	912		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	1548	1908	2293	4167	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Bronze		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	80	104	125	211	292	371	614	1048	1549	2192		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3467	4510	5769	10058	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	75	95	113	181	250	309	502	835	1215	1748		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	2789	3570	4532	7941	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSTB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F				End Connection:		Wafer		Seat Material:		Teflon	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"			
Item Price:	97	131	162	239	354	452	715	1122	1759			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70			

ITEM #:	BI126WDSSVB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Viton	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	147	180	219	343	470	562	817	1366	2144	2547		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4322	5453	6560	11915	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDDB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:			Lug			Seat Material:	Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:			Ductile Iron			Shaft Material:	416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	81	98	110	158	212	252	382	575	830	1202			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	1923	2473	3205	4884	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDBB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:			Lug			Seat Material:	Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:			Bronze			Shaft Material:	416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	95	125	142	244	330	414	669	1155	1724	2448			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3828	5004	6659	10753	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:			Lug			Seat Material:	Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:			316 SS			Shaft Material:	316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	93	113	133	213	290	362	576	1286	1403	2042			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3171	4143	5457	8670	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSTB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:			Lug			Seat Material:	Teflon	
Body Material:	Ductile Iron				Disc Material:			316 SS			Shaft Material:	316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	135	173	208	308	408	519	815	1638	1983	2676			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	4007	5514	7768	12667	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSVB										Operator:	Bare	
M.A.W.P.:	200 psig at 150 F				End Connection:			Lug			Seat Material:	Viton	
Body Material:	Ductile Iron				Disc Material:			316 SS			Shaft Material:	316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	167	198	227	376	509	614	891	1818	2144	2841			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	4703	6026	7485	12644	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

OPERATOR OPTIONS for Resilient Seated Butterfly Valves

ITEM:	Price Adders for Lever Handle c/w 10 Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	18	18	18	18	18	18	24	28	28	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Lever Handle Infinite Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	16	16	16	16	17	17	22	22	22	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Manual Gear c/w Wheel										
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	69	69	69	69	69	69	138	138	149	149	
Item Weight - Lbs.:	10	10	10	10	10	10	28	28	33	33	
Size:	16"	18"	20"	24"	30"	36"	42"	48"			
Item Price:	546	546	546	916	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Item Weight - Lbs.:	71	71	80	80							

High Performance Butterfly Valves

MODEL	HB150WSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	285 psig at 100 F		End Connection:			Wafer		Seat:			RTFE					
Body:	Carbon Steel (WCB)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	951	1150	1243	1540	1971	2439	3931	4847	6833	8349						
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187						
Size	16"	18"	20"	24"												
Item Price:	10282	12956	16262	22877												
Unit Weight - Lbs	255	352	455	704												

MODEL	HB150LSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	285 psig at 100 F		End Connection:			Lug		Seat:			RTFE					
Body:	Carbon Steel (WCB)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	1057	1189	1314	1903	2126	2549	4122	5179	7576	9086						
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216						
Size	16"	18"	20"	24"												
Item Price:	14441	13128	19391	22915												
Unit Weight - Lbs	315	462	572	880												

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	275 psig at 100 F		End Connection:			Wafer		Seat:			RTFE					
Body:	316 SS (CF8M)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	1109	1446	1563	2062	2596	3306	5223	6364	8999	11165						
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187						
Size	16"	18"	20"	24"												
Item Price:	13941	17490	21360	29843												
Unit Weight - Lbs	255	352	455	704												

MODEL	HB150LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	275 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1321	1587	1736	2432	2979	3542	5629	7154	10734	13283	
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216	
Size	16"		18"		20"		24"				
Item Price:	17428	21501	27796	36410							
Unit Weight - Lbs	315	462	572	880							

MODEL	HB300WSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1004	1118	1338	1658	2112	2486	4017	5043	7389	8882	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"		18"		20"		24"				
Item Price:	11469	14066	18552	25074							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1163	1290	1431	2009	2314	2784	4433	6005	8163	10876	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"		18"		20"		24"				
Item Price:	13526	17842	21791	30407							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB300WSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1268	1563	1846	2354	2894	3448	5574	6959	10445	12784	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"		18"		20"		24"				
Item Price:	16301	20484	27872	35504							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1533	1846	2041	2705	3432	4120	6420	9179	12095	18341	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"		18"		20"		24"				
Item Price:	21861	31110	36810	50563							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB600WSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR							
M.A.W.P.	1480 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2031	2514	3045	3776	4011	4688	6380	10102	14777	17546
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	22938	27744	36590	49447						
Unit Weight - Lbs										

MODEL	HB600LSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR							
M.A.W.P.	1480 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2224	2948	3529	3770	4398	5269	7395	13147	15661	20687
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	25280	32675	40333	54329						
Unit Weight - Lbs										

MODEL	HB600WSSSSL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR							
M.A.W.P.	1440 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2562	2998	3336	4593	5559	6429	9571	13970	20639	25232
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	32144	40409	55005	70076						
Unit Weight - Lbs										

MODEL	HB600LSSSSL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR							
M.A.W.P.	1440 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2998	3431	4060	5316	6188	7154	10487	19769	23539	36155
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	39296	52444	63948	84104						
Unit Weight - Lbs										

Operator Options for High Performance Butterfly Valve

ITEM:	Price Adders: Manual Gear, c/w Handwheel									
	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	1150	1150	1150	1150	1383	1383				
Item Weight - Lbs.:	1.5	2	2	2	3	4				

Replacement Parts - High Performance Butterfly Valve

ITEM:	Replacement RTFE Seats									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	117	151	151	245	336	336	539	700	1171	1260
Size	16"	18"	20"	24"						
Item Price:	1705	2828	3321	4757						

ITEM:	Replacement Packing									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	70	70	70	72	78	78	82	104	129	153
Size	16"	18"	20"	24"						
Item Price:	183	198	408	454						

ITEM:	Replacement Gasket									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	11	11	11	14	14	14	18	22	24	26
Size	16"	18"	20"	24"						
Item Price:	29	36	39	50						

Flanged Triple Duty Valves

Note: Bronze disc model TD125FIBE has been discontinued

ITEM #:	TD125FIDE									
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Disc Material:		C.I. Nickel Plated	
Body Material:	Cast Iron		Guide:		Cast Iron		O-Ring:		EPDM	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	488	587	729	1566	2093	2648	4518	7056	11239	13544
Item Weight - Lbs.:	34	40	50	100	155	200	350	480	660	790

N.P.T. and Flanged Drip Pan Elbows

ITEM #:	D125PE									
M.A.W.P.:	200 psig at 150 F		End Connection:		3/4" - 4", N.P.T.		6" & 8", 125 Lb. FF Flanged			
Body Material:	Cast Iron									
Size:	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
Item Price:	32	32	84	84	95	131	203	247	730	1340
Item Weight - Lbs.:	2	2	7.5	7.5	8.5	12	19	25	105	202

Neoprene Connectors

ITEM #:	AUM (CTNT) Extended Double Sphere									
M.A.W.P.:	150 psig at 200 F		End Connection:		N.P.T.		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Nylon Cloth		Union:		Zinc Plated C.I.	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	43	61	62	69	81	101	P.O.A.	P.O.A.		
Item Weight - Lbs.:	1	2	3	4	5	6				

ITEM #:	ASM (CFNS) Single Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Single	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"
Item Price:	54	62	81	110	133	178	244	316	455	673
Item Weight - Lbs.:	5	6	8	12	14	18	23	26	40	56
Size:	12"	14"	16"	18"	20"	24"				
Item Price:	917	1162	1436	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	85	99	128							

ITEM #:	ATM (CFNT) Double Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	77	100	127	155	227	298	382	661	839	1125
Item Weight - Lbs.:	6	8	12	14	18	23	28	45	62	90

Unibody Threaded End Ball Valves

ITEM #: 1RB20TCSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Oval Latching	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		1 pc Reduded Port		Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	84	84	84	94	122	174	231	304		
Item Weight - Lbs.:	1	1	1	1	2	3	4	5		

ITEM #: 1RB20TCSSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Oval Latching	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		1 pc Reduded Port		Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	107	107	107	121	168	250	343	451		
Item Weight - Lbs.:	1	1	1	1	2	3	4	5		

Two Piece Threaded End Ball Valves

ITEM #: 2FB6TBBTN (NPT End)										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.		Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	11	11	19	26	36	61	85	127	275	341
Item Weight - Lbs.:	1	1	1	1	1	2	2	3	6	10
Size:	4"									
Item Price:	671									
Item Weight - Lbs.:	19									

ITEM #: 2FB6SBBTN (Sweat End)										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.		Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	
Item Price:	15	25	33	59	87	127	248	347	578	
Item Weight - Lbs.:	1	1	1	2	2	3	6	10	19	

ITEM #: 2FB10TSSTL										
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		2 pc Full Port		Seat Material:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	24	24	24	32	52	76	105	145		
Item Weight - Lbs.:	1	1	1	1	2	2	4	6		

Three Piece Threaded End Ball Valves

ITEM #: 3FB10TSSRL / 3FB10SWSSRL										
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Operator:		Latching Lever	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Full Port		Seat Material:		RTFE	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	29	29	53	70	95	193	193	268		
Item Weight - Lbs.:	1	1	2	2	3	5	7	10		

ITEM #: 3SB20TCSCSCL / 3SB20SWCSCL										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		Polycarbon	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	123	151	217	360	380	567				
Item Weight - Lbs.:	2	3	4	6	8	11				

ITEM #:	3SB20TSSRL / 3SB20SWSSRL										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever		
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		RTFE		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"					
Item Price:	103	127	180	300	316	470					
Item Weight - Lbs.:	2	3	4	6	8	11					