

**N.P.T., Socket Weld and Sweat End Y-Strainers**

Y250TIT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TIT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	20	20	20	31	37	57	77	126	258	302
Spare Gasket Price:	15	15	15	21	28	35	51	61	71	71
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	2	2	2	3	3	6	8	13	22	30

Y125TBT/SBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y125TBT / Y125SBT										
M.A.W.P.:	200 psig at 150 F		End Connection:		N.P.T. / Sweat		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	45	45	45	61	95	141	193	289	486	710
Spare Gasket Price:	11	11	11	18	21	28	40	48	55	55
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	4	11	16

Y250TBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TBT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Silicon	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	48	71	114	156	240	400	688	930		
Spare Gasket Price:	3	3	5	7	7	9	9	15		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	1	2	2	3	4	8	10	13		

ITEM #: Y300TST / Y300SWST										
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	84	84	84	100	149	195	227	384	799	1199
Spare Gasket Price:	8	8	8	10	10	12	12	15	20	20
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	5	6	8

ITEM #: Y300TSST / Y300SWSST										
M.A.W.P.:	720 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	Teflon		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	143	143	143	167	262	343	385	662	1310	1965
Spare Gasket Price:	8	8	8	10	10	12	12	15	20	20
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs:	1	1	1	1	2	2	3	5	6	8

ITEM # Y600TST / Y600SWSST / Y600TSB / Y600SWSB										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	80	95	142	191	254	364	1963	2247		
Spare Gasket Price:	20	22	27	28	33	36	46	52		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs:	2	3	5	7	10	15	63	77		

ITEM #: Y600TSST / Y600SWSST / Y600TSB / Y600SWSB										
M.A.W.P.:	1440 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	162	208	371	611	727	1044	4875	5613		
Spare Gasket Price:	20	22	27	28	33	36	46	52		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	2	3	5	7	10	15	63	77		

ITEM #: Y600TLCT / Y600SWLCT										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Low Temp C.S.			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	173	196	340	P.O.A	639	912				
Spare Gasket Price:	21	23	28		34	38				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y600TA20T / Y600SWA20T										
M.A.W.P.:	1200 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Alloy 20 (CN7M)			Screen:	Alloy 20 (CN7M)		Gasket:	Alloy 20 Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	444	563	859	P.O.A	1637	2422				
Spare Gasket Price:	293	351	351		415	479				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y1500TST / Y1500SWST									
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"						
Item Price:	146	232	401						
Spare Gasket Price:	24	27	31						
Std. Screen Size:	0.032"	0.032"	0.032"						
Item Weight - Lbs.:	3	5	7						

ITEM #: Y1500TSST / Y1500SWSST									
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"						
Item Price:	335	457	829						
Spare Gasket Price:	24	27	31						
Std. Screen Size:	0.032"	0.032"	0.032"						
Item Weight - Lbs.:	3	5	7						

ITEM #: Y1500TSB / Y1500SWSB									
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional	
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	315	505	880	942	942	1295			
Spare Gasket Price:	22	26	29	32	34	40			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500TSSB / Y1500SWSSB									
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional	
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	629	813	1302	2217	2217	3088			
Spare Gasket Price:	22	26	29	32	34	40			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500T52CMB / Y1500SW52CMB									
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS		Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"			
Item Price:	500	705	878	1405	1584	2050			
Spare Gasket Price:	24	28	31	35	38	42			
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"			
Item Weight - Lbs.:	7	10	16	22	22	30			

ITEM #: Y1500T52CMT / Y1500SW52CMT										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"							
Item Price:	194	306	532							
Spare Gasket Price:	24	28	31							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

**Flanged, Buttweld and RTJ Y-Strainers**

ITEM #: Y125FDIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	107	155	197	314	423	594	1024	1918	2630	
Spare Gasket Price:	12	12	24	24	36	65	89	115	140	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	22	35	43	75	115	154	243	390	650	

ITEM #: Y125FIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	14"	16"	18"	20"	24"					
Item Price:	8716	11631	14381	17770	22295					
Sp. Gasket Price:	164	175	184	272	324					
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"					
Item Weight - Lbs.:	815	1224	1895	3350	4705					

ITEM #: Y250FDIB										
M.A.W.P.:	500 psig at 150 F			End Connection:	250 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron (A395)			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	483	659	925	1533	1995	2821	3998	7356	11596	
Spare Gasket Price:	6	6	12	12	17	30	43	67	110	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	28	38	54	110	160	224	468	590	750	

ITEM #: Y150FBB											
M.A.W.P.:	225 psig at 150 F			End Connection:	150 Lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Teflon		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2090	2926	3672	6725	9979	13105	22502	36588	52947	P.O.A	
Spare Gasket Price:	13	16	20	29	42	64	95	127	191		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs.:	20	32	36	61	110	160	210	440	585		

ITEM #: Y150FSB											
M.A.W.P.:	285 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	
Item Price:	202	267	363	451	499	727	879	1403	2106	2571	
Spare Gasket Price:	20	20	22	28	35	49	49	60	62	75	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	160	
Size:	8"	10"	12"	14"	16"	18"	20"	24"			
Item Price:	4164	8951	12649	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Spare Gasket Price:	88	149	194								
Std. Screen Size:	0.125"	0.125"	0.125"								
Item Weight - Lbs.:	210	440	585								

ITEM #: Y150FSSB											
M.A.W.P.:	275 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"		
Item Price:	413	527	702	941	1277	2094	2552	3743	6315		
Spare Gasket Price:	20	20	22	28	35	49	49	60	62		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"		
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110		
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	7464	12013	25131	35009	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	75	88	149	194							
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"							
Item Weight - Lbs.:	160	210	440	585							

ITEM #: Y300FSB											
M.A.W.P.:	740 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"		
Item Price:	233	457	597	630	591	905	1271	1875	4223		
Spare Gasket Price:	20	20	22	28	35	49	49	60	62		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"		
Item Weight - Lbs:	8	14	15	26	32	36	55	88	180		
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	3961	6362	11443	17902	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	75	88	149	194							
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"							
Item Weight - Lbs:	200	290	520	680							

ITEM #: Y300BWSB											
M.A.W.P.:	740 psig at 100 F			End Connection:	Buttweld			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	2017	2228	2848	3237	5251	5254	7157	11400	15212		
Spare Gasket Price:	35	49	49	60	62	75	88	149	194		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	15	25	45	68	90	120	170	360	550		

ITEM #: Y300FSSB											
M.A.W.P.:	720 psig at 100 F			End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	
Item Price:	612	935	1017	1981	1846	2809	3666	5863	P.O.A.	11651	
Spare Gasket Price:	20	20	22	28	35	49	49	60		75	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"		0.125"	
Item Weight - Lbs:	8	14	15	26	32	36	55	88		200	
Size:	8"	10"	12"	14"	16"	18"	20"	24"			
Item Price:	19838	36627	56911	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Spare Gasket Price:	88	149	194								
Std. Screen Size:	0.125"	0.125"	0.125"								
Item Weight - Lbs:	290	520	680								

ITEM #: Y600FSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1248	P.O.A.	2559	4440	P.O.A.	8224	13338	25569	37784
Spare Gasket Price:	47		62	85		115	138	181	207
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSB									
M.A.W.P.:	1480 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	1376	P.O.A.	2807	4893	P.O.A.	9036	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	215		461	538		712			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y600FSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3817	P.O.A.	7058	14179	P.O.A.	25779	41062	77210	100076
Spare Gasket Price:	47		62	85		115	138	181	207
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	4195	P.O.A.	7756	15599	P.O.A.	28367	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	215		461	538		712			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y900FSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2913	P.O.A.	3660	5646	P.O.A.	12533	22302	32049	P.O.A.
Spare Gasket Price:	114		166	222		277	360	414	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	
Item Weight - Lbs:	125		163	253		550	1075	1950	

ITEM #: Y900RTJSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3221	P.O.A.	4021	6210	P.O.A.	13777	24532	P.O.A.	P.O.A.
Spare Gasket Price:	308		461	538		707	1044		
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"		
Item Weight - Lbs:	125		163	253		550	1075		

ITEM #: Y900FSSB									
M.A.W.P.:	2160 psig		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	8811	P.O.A.	11376	17181	P.O.A.	36857	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	114		166	222		277			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y900RTJSSB									
M.A.W.P.:	2160 psig		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	9681	P.O.A.	12273	18539	P.O.A.	39777	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	308		461	538		707			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y1500FSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	2913	3979	5803	8544	P.O.A.	18211	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	114	139	166	221		277			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3194	P.O.A.	6382	9403	P.O.A.	20027	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	308		507	599		814			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			



ITEM #: Y1500FSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RF		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	8567	12573	18638	25845	P.O.A.	58524	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	114	139	166	221		277				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"				
Item Weight - Lbs:	125	197	234	355		812				

ITEM #: Y1500RTJSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	RTJ Flanged		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Oval Ring		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	9424	P.O.A.	18704	28419	P.O.A.	64376	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	308		507	599		814				
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"				
Item Weight - Lbs:	125		234	355		812				

ITEM: Spare Screens									
Screen Material:	Spare Screen Pricing for Y-Strainers and Suction Diffusers, Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	24	24	24	27	44	67	75	108	149
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	14	14	14	15	24	33	38	61	83
MESH COMPLETE W/ PERF. SUPPORT	38	38	38	42	68	100	113	168	233
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 3/8", 1/2" PERF	199	331	481	663	1109	1623	2234	2927	3705
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	101	166	240	331	554	810	1117	1465	1853
MESH COMPLETE W/ PERF. SUPPORT	301	497	721	993	1663	2433	3351	4393	5560

## N.P.T. and Socket Weld Basket Strainers

ITEM #:	B125TIR2						Cover Type:		Rotating Type	
M.A.W.P.:	200 psig at 100 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-Ring	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	
Item Price:	589	589	589	671	772	907	1171	1307	1530	
Spare Gasket Price:	7	7	7	7	14	14	15	25	31	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs:	10	18	10	18	18	30	50	62	62	

ITEM #:	B300TSB2 / B300SWSB2						Cover Type:		Bolted	
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	487	656	656	1004	1004	1369				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSC2 / B300SWSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	667	836	836	1289	1289	1644				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

ITEM #:	B300TSSB2 / B300SWSSB2						Cover Type:		Bolted	
M.A.W.P.:	720 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1241	1542	1542	2726	2726	3692				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSSC2 / B300SWSSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1512	1814	1814	3133	3133	4101				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

**Flanged Basket Strainers**

ITEM #:	B125FIB1						Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	302	405	554	655	1028	1343	2510	4044	6136	12208
Spare Gasket Price:	17	25	25	36	40	47	58	84	98	107
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	1010
Size:	16"	18"	20"	24"						
Item Price:	14695	22221	30231	39531						
Sp. Gasket Price:	207	234	258	281						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	1041	1446	1980	2790						

ITEM #:	B125FIC1						Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	478	562	680	840	1131	1464				
Spare Gasket Price:	17	25	25	36	40	47				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"				
Item Weight - Lbs:	22	31	42	70	90	124				

ITEM #:	B125FIY1						Cover Type:		Yoke	
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-ring	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	425	519	644	1071	1608	1927	3184	5550	9208	
Spare Gasket Price:	9	9	9	10	10	14	24	33	47	
Std. Screen Size:	0.0625"	0.0625"	0.0625"	0.0625"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	27	29	42	65	95	148	198	350	720	

ITEM #:	B150FBB1									Cover Type:	Bolted
M.A.W.P.:	225 psig at 150 F			End Connection:	150 Lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Bronze (B62)			Screen:	304 SS			Gasket:	Teflon		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	2299	3981	4433	6876	9139	12776	23164	35830	60622		
Spare Gasket Price:	13	17	21	29	39	62	92	118	169		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670		

ITEM #:	B150FSB1									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	687	950	1324	2040	2839	3161	6020	9189	14225		
Spare Gasket Price:	39	39	46	49	98	85	104	139	155		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70	100	124	270	385	670		
Note: B150FSB1 & B150FSSB1 come with a Teflon gasket from factory; replacement gasket is 304SS Spiral wound											

ITEM #:	B150FSSB1									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	1711	1949	2895	4338	P.O.A.	7168	13135	18799	32064		
Spare Gasket Price:	39	39	46	49		85	104	139	155		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70		124	270	385	670		

ITEM #:	B150FSB2									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	625	1096	P.O.A.	1999	2846	P.O.A.	5633	8852			
Spare Gasket Price:	33	39		46	49		85	104			
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

ITEM #:	B150FSSB2									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F			End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	1994	2895	P.O.A.	4933	7326	P.O.A.	14926	25420			
Spare Gasket Price:	33	39		46	49		85	104			
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

**Flanged Dual Basket Assembly Strainers**

**NOTE: Pricing for spare gaskets are for one [1]; you need to double this for both sides**

ITEM #:	DB125FIBC2					Cover Type:		Bolted	
M.A.W.P.:	200 psig at 100 F		End Connection:	125 lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	5526	7368	9076	10746	16877	28999	44234
Spare Gasket Price:			37	39	44	51	64	91	105
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

ITEM #:	DB125FICC2					Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:	125 lb. FF Flanged		Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	P.O.A.	P.O.A.	6705	8940	10844	12416	18919	31238	47152
Spare Gasket Price:			37	39	44	51	64	91	105
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:			325	350	500	800	1350	2050	4700

**Flanged Suction Diffusers**

(Inlet x Outlet/pump)											
ITEM #:	SC125FIB					Cover Type:		Bolted			
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged		Drain Connection:	Standard				
Body Material:	Cast Iron		Screen:	304 SS		Gasket:	Buna-N O-Ring				
Size:	2"x1-1/2"	2"x2"	2-1/2"x2"	2-1/2"x2-1/2"	3"x2"	3"x2-1/2"	3"x3"	4"x3"	4"x4"	5"x4"	
Item Price:	265	283	354	375	383	493	523	700	725	1053	
Spare Gasket Price:	10	10	16	16	21	21	21	36	36	47	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	21	21	23	32	34	45	49	55	70	92	
Size:	5"x5"	6"x4"	6"x5"	6"x6"	8"x5"	8"x6"	8"x8"	10"x8"	10"x10"	12"x8"	
Item Price:	1073	1114	1406	1491	1765	1803	2455	3112	3664	4421	
Spare Gasket Price:	47	47	57	57	57	57	113	113	160	160	
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	97	132	145	182	197	197	292	312	422	412	
Size:	12"x10"	12"x12"									
Item Price:	4666	4864									
Spare Gasket Price:	194	194									
Std. Screen Size:	0.125"	0.125"									
Item Weight - Lbs:	491	573									

**Spare Baskets for Basket and Dual Basket Strainers**

ITEM: Spare Baskets									
Screen Material:	Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	N/A	N/A	175	175	175	175	175	175	266
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	N/A	N/A	89	89	89	89	89	89	135
MESH COMPLETE W/ PERF. SUPPORT	N/A	N/A	263	263	263	263	263	263	401
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	306	391	611	846	1218	1522	1824	2130	2435
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	153	195	306	425	611	763	913	1066	1219
MESH COMPLETE W/ PERF. SUPPORT	459	586	917	1270	1828	2285	2737	3197	3655

**Perforated Cone & Basket Strainers**

ITEM #: TC150SS4W1 / TC300SS4W1 / TC600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Conical	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	163	163	184	223	307	336	393	524	574
Perf c/w Mesh		234	234	254	295	384	417	530	668	732
Perforation:	150%	167	167	188	231	318	348	413	559	629
Perf c/w Mesh		236	236	261	309	404	439	555	720	814
Perforation:	200%	169	169	194	240	332	363	433	696	835
Perf c/w Mesh		240	240	266	324	421	460	586	817	916
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	715	984	1146	1408	1679	2021	2278	3033	
Perf c/w Mesh		955	1348	1567	1885	2249	2697	3055	4161	
Perforation:	150%	808	1153	1396	1692	2038	2462	2813	3761	
Perf c/w Mesh		1095	1598	1944	2306	2784	3358	3854	5297	
Perforation:	200%	918	1320	1482	1970	2360	2903	3394	4654	
Perf c/w Mesh		1263	1848	2068	2726	3981	4020	4723	6597	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

ITEM #: TB150SS4W1 / TB300SS4W1 / TB600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Basket	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	163	163	184	223	307	336	393	524	574
Perf c/w Mesh		234	234	254	295	384	417	530	668	732
Perforation:	150%	167	167	188	231	318	348	413	559	629
Perf c/w Mesh		236	236	261	309	404	439	555	720	814
Perforation:	200%	169	169	194	240	332	363	433	696	835
Perf c/w Mesh		240	240	266	324	421	460	586	817	916
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	715	984	1146	1408	1679	2021	2278	3033	
Perf c/w Mesh		955	1348	1567	1885	2249	2697	3055	4161	
Perforation:	150%	808	1153	1396	1692	2038	2462	2813	3761	
Perf c/w Mesh		1095	1598	1944	2306	2784	3358	3854	5297	
Perforation:	200%	918	1320	1482	1970	2360	2903	3394	4654	
Perf c/w Mesh		1263	1848	2068	2726	3981	4020	4723	6597	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

**Dual Disc Check Valves**

ITEM#:	DC125WIBB		(DC126WIBB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		Bronze			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	72	86	126	194	256	372	651	1071	1524	2389
Unit Weight - Lbs	4.5	5.5	7	11.5	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	3505	5254	6424	8919						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DC125WISSB		(DC126WISSB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer			Seat Material:		Buna-N
Body:	Cast Iron		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	59	86	106	161	199	289	524	870	1248	1997
Unit Weight - Lbs	5	6	7	12	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	2710	4047	5120	7521						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DR150WSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	320	418	458	674	930	1301	1767	2793	4329	6229
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	8126	9763	12952	17524						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Wafer			Seat Material:		Viton
Body:	Carbon Steel (LCC)		Disc Material:		316 SS			Spring:		Stainless Steel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	320	418	458	674	930	1301	1767	2793	4329	6229
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	8126	9763	12952	17524						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WSSSM10									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer			Seat Material:		API Overlay
Body:	Carbon Steel (WCB)		Disc Material:		316 SS			Spring:		Inconel
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	429	533	631	924	1109	1574	2373	3526	5336	7600
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	10702	14507	16956	21980						
Unit Weight - Lbs	295	312	472	788						



ITEM#: DR150WSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	527	670	810	1273	1656	2262	3739	6031	9856	10932
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	14182	16560	22332	29784						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSM10										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	619	758	1030	1399	2053	2417	3992	6421	10326	13094
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	18582	22524	28968	37601						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR300WSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	383	458	516	763	739	1368	2152	3285	4648	8873
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	12915	16054	19298	24909						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	383	458	516	763	739	1368	2152	3285	4648	8873
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	12915	16054	19298	24909						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	489	570	682	966	1090	1821	2704	3978	5670	10702
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Unit Price	15121	19113	22388	28771						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	629	830	997	1368	2021	3090	5086	7600	11815	16808
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	25829	30273	37743	47506						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	682	991	1177	1446	2163	3238	5339	7996	12284	20565
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	29173	39510	42872	53043						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR600WSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	481	520	619	947	1465	2194	3641	5794	8343	10068
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	15591	22462	27875	40746						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	481	520	619	947	1465	2194	3641	5794	8343	10068
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	15591	22462	27875	40746						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSM10										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	557	657	750	1116	1613	2389	4090	6251	9203	14608
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	17889	25903	31452	43650						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSV										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	742	954	1138	2071	4363	5302	8559	15893	21467	30315
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	33165	46962	59766	84557						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSSM10										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	744	1053	1239	2157	4493	5444	8812	16283	21936	27980
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	37428	52647	66439	92961						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR150LSSSV										
M.A.W.P.	285 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	588	865	934	1347	1903	2311	3609	6260	9955	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LLCSSV										
M.A.W.P.	290 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	588	865	934	1347	1903	2311	3609	6260	9955	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	853	1391	1391	2132	3183	3670	6266	11493	19681	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	724	1020	1088	1700	2373	3059	4449	8144	12185	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	724	1020	1088	1700	2373	3059	4449	8144	12185	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1248	1762	1829	3059	4431	5506	8268	16135	24841	P.O.A
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	939	1261	1490	2293	3905	5222	8188	14577	20997	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR600LLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	939	1261	1490	2293	3905	5222	8188	14577	20997	P.O.A
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"		18"		20"		24"			
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

<b>ITEM#:</b>	<b>DR600LSSSV</b>									
<b>M.A.W.P.:</b>	1440 psig at 100 F		<b>End Connection:</b>			Lug		<b>Seat Material:</b>		Viton
<b>Body:</b>	316 SS (CF8M)		<b>Disc Material:</b>			316 SS		<b>Spring:</b>		Stainless Steel
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	1458	2021	2311	3806	7292	9652	15714	30668	44491	P.O.A.
<b>Unit Weight - Lbs:</b>	7	11	13	28	30	80	160	260	360	
<b>Size:</b>	16"	18"	20"	24"						
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Unit Weight - Lbs:</b>										

**Dual Disc Check Valve Inconel X750 Valve Springs**

<b>ITEM: Inconel X750 Valve Springs</b>										
<b>Size</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	74	93	93	93	185	198	358	600	724	1718
<b>Unit Weight - Lbs</b>	1	1	1	1	1	2	2	3	3	3
<b>Size</b>	16"	18"	20"	24"						
<b>Item Price:</b>	3269	3368	3708	5537						
<b>Unit Weight - Lbs</b>	4	4	4	4						

**Silent Threaded (N.P.T.) Check Valves**

<b>NOTE:</b>	Socketweld end caps available, consult factory for pricing and availability									
<b>ITEM #:</b>	<b>SC600TSSSM</b>									
<b>M.A.W.P.:</b>	600 psig at 150 F		<b>End Connection:</b>			N.P.T.		<b>Seat Material:</b>		Metal
<b>Body Material:</b>	316 SS (CF8M)		<b>Disc Material:</b>			316 SS (CF8M)		<b>Spring:</b>		Stainless Steel
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	
<b>Item Price:</b>	90	90	116	140	183	255	321	519	853	
<b>Item Weight - Lbs.:</b>	1	1	1	3	3.5	4	5	5.5	6	
<b>Note:</b>	1-1/4" SC600 is a 1-1/2" SC600 bushed down									

**Silent Wafer Check Valves**

<b>ITEM #:</b>	<b>SC125WIBM</b>									
<b>M.A.W.P.:</b>	200 psig at 150 F		<b>End Connection:</b>			Wafer		<b>Seat Material:</b>		Bronze
<b>Body Material:</b>	Cast Iron		<b>Disc Material:</b>			Bronze		<b>Spring:</b>		Stainless Steel
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	199	240	330	650	935	1194	2782	4493	8294	
<b>Item Weight - Lbs.:</b>	5	7	10	18	27	39	89	173	240	

<b>ITEM #:</b>	<b>SC125WISSM</b>									
<b>M.A.W.P.:</b>	200 psig at 150 F		<b>End Connection:</b>			Wafer		<b>Seat Material:</b>		Stainless Steel
<b>Body Material:</b>	Cast Iron		<b>Disc Material:</b>			316 SS		<b>Spring:</b>		Stainless Steel
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	217	257	347	591	1005	1254	2918	4704	8690	
<b>Item Weight - Lbs.:</b>	5	7	10	18	27	39	89	173	240	

<b>ITEM #:</b>	<b>SC150WSSSM</b>									
<b>M.A.W.P.:</b>	285 psig at 100 F		<b>End Connection:</b>			Wafer		<b>Seat Material:</b>		316 SS
<b>Body Material:</b>	Carbon Steel		<b>Disc Material:</b>			316 SS		<b>Spring:</b>		Stainless Steel
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	274	329	443	780	1260	1683	3518	5883	10673	
<b>Item Weight - Lbs.:</b>	5	7	10	18	27	39	89	173	240	

<b>ITEM #: SC150WSSSSM</b>										
<b>M.A.W.P.:</b>	275 psig at 100 F		<b>End Connection:</b>		Wafer		<b>Seat Material:</b>		316 SS	
<b>Body Material:</b>	316 SS (CF8M)		<b>Disc Material:</b>		316 SS		<b>Spring:</b>		Stainless Steel	
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	529	625	848	1430	2488	3290	7270	12829	P.O.A.	
<b>Item Weight - Lbs.:</b>	5	7	10	18	27	39	89	173		

**Silent Flanged Check Valves**

<b>ITEM #: SC125FIBM</b>										
<b>M.A.W.P.:</b>	200/150 psig at 150 F		<b>End Connection:</b>		125 Lb. FF Flanged		<b>Seat Material:</b>		Bronze	
<b>Body Material:</b>	Cast Iron		<b>Disc Material:</b>		Bronze		<b>Spring:</b>		Stainless Steel	
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	599	768	945	1280	1923	2295	3854	5833	9666	15151
<b>Item Weight - Lbs.:</b>	14	23	26	59	74	96	178	288	350	525
<b>Size:</b>	16"	18"								
<b>Item Price:</b>	18082	20088								
<b>Item Weight - Lbs.:</b>	650	892								

<b>ITEM #: SC150FSSSM</b>										
<b>M.A.W.P.:</b>	285 psig at 100 F		<b>End Connection:</b>		150 Lb. RF Flanged		<b>Seat Material:</b>		316 SS	
<b>Body Material:</b>	Carbon Steel		<b>Disc Material:</b>		316 SS		<b>Spring:</b>		Stainless Steel	
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	895	1083	1397	1963	2607	3394	5866	8983	14195	19298
<b>Item Weight - Lbs.:</b>	14	23	26	59	74	96	178	288	350	525
<b>Size:</b>	16"	18"	20"	24"						
<b>Item Price:</b>	25793	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>	650									

<b>ITEM #: SC150FSSSSM</b>										
<b>M.A.W.P.:</b>	275 psig at 100 F		<b>End Connection:</b>		150 Lb. RF Flanged		<b>Seat Material:</b>		316 SS	
<b>Body Material:</b>	316 SS (CF8M)		<b>Disc Material:</b>		316 SS		<b>Spring:</b>		Stainless Steel	
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	2232	2964	4386	5497	7486	8675	15652	24951	47416	P.O.A.
<b>Item Weight - Lbs.:</b>	14	23	26	59	74	96	178	288	350	
<b>Size:</b>	16"	18"	20"	24"						
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>										

<b>ITEM #: SC300FSSSM</b>										
<b>M.A.W.P.:</b>	740 psig at 100 F		<b>End Connection:</b>		300 Lb. RF Flanged		<b>Seat Material:</b>		316 SS	
<b>Body Material:</b>	Carbon Steel		<b>Disc Material:</b>		316 SS		<b>Spring:</b>		Stainless Steel	
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	1421	1719	2166	3262	4507	5536	10138	15566	23451	P.O.A.
<b>Item Weight - Lbs.:</b>	17	28	31	71	89	115	214	346	420	
<b>Size:</b>	16"	18"	20"	24"						
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>										

<b>ITEM #:</b>	<b>SC300FSSSSM</b>									
<b>M.A.W.P.:</b>	720 psig at 100 F		<b>End Connection:</b>	300 Lb. RF Flanged			<b>Seat Material:</b>	316 SS		
<b>Body Material:</b>	316 SS (CF8M)		<b>Disc Material:</b>	316 SS			<b>Spring:</b>	Stainless Steel		
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	4339	5035	6673	10118	14545	16391	29610	48051	86898	
<b>Item Weight - Lbs.:</b>	17	28	31	71	89	115	214	346	420	
<b>Size:</b>	16"		18"		20"		24"			
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>										

**Soft Seats for Silent Check Valves**

<b>ITEM:</b>	<b>Soft Seat Adder for Silent Check Valves</b>									
<b>Material</b>	Viton									
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
<b>Item Price:</b>	777	828	834	1117	1165	1220	1323	1431	1449	

**Foot Valves**

<b>ITEM #:</b>	<b>FV125FIBB</b>									
<b>M.A.W.P.:</b>	200/150 psig at 150 F		<b>End Connection:</b>	125 lb. FF Flanged			<b>Seat Material:</b>	Buna-N		
<b>Body Material:</b>	Cast Iron		<b>Disc Material:</b>	Bronze			<b>Spring:</b>	None		
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	1733	2139	2376	2924	3898	5035	6226	9455	13522	20622
<b>Item Weight - Lbs.:</b>	25	32	45	70	90	115	181	265	425	550
<b>Size:</b>	16"									
<b>Item Price:</b>	P.O.A.									
<b>Item Weight - Lbs.:</b>										

<b>ITEM #:</b>	<b>FV150FSSSB</b>									
<b>M.A.W.P.:</b>	285 psig at 100 F		<b>End Connection:</b>	150 lb. RF Flanged			<b>Seat Material:</b>	Buna-N		
<b>Body Material:</b>	Carbon Steel (WCB)		<b>Disc Material:</b>	316 SS			<b>Spring:</b>	None		
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	2152	2511	2856	3858	4819	5468	8514	12182	17664	P.O.A.
<b>Item Weight - Lbs.:</b>	32	42	55	88	110	140	215	310	500	
<b>Size:</b>	16"		18"		20"		24"			
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>										

<b>ITEM #:</b>	<b>FV150FSSSV</b>									
<b>M.A.W.P.:</b>	275 psig at 100 F		<b>End Connection:</b>	150 lb. RF Flanged			<b>Seat Material:</b>	Viton		
<b>Body Material:</b>	316 SS		<b>Disc Material:</b>	316 SS			<b>Spring:</b>	None		
<b>Size:</b>	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
<b>Item Price:</b>	3722	4731	6105	7580	10219	11519	19106	29325	52247	P.O.A.
<b>Item Weight - Lbs.:</b>	32	42	55	88	110	140	215	310	500	
<b>Size:</b>	16"		18"		20"		24"			
<b>Item Price:</b>	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
<b>Item Weight - Lbs.:</b>										

**Resilient Seated Butterfly Valves**

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Ductile Iron		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	65	82	98	135	184	215	330	500	690	976		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	1656	2041	2454	4459	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Bronze		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	85	111	134	226	312	397	657	1121	1657	2346		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3710	4825	6173	10762	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	80	101	121	193	267	330	537	893	1300	1871		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	2984	3820	4849	8497	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSTB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F				End Connection:		Wafer		Seat Material:		Teflon	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"			
Item Price:	103	140	173	256	379	483	765	1201	1882			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70			

ITEM #:	BI126WDSSVB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Wafer		Seat Material:		Viton	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	157	192	235	367	503	601	874	1462	2294	2726		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4624	5834	7020	12749	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								



ITEM #:	BI126LDDDB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	Ductile Iron				Shaft Material:	416 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	87	104	118	169	227	270	409	616	888	1286			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	2057	2646	3429	5225	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDBB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	Bronze				Shaft Material:	416 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	101	134	152	261	353	443	716	1236	1845	2619			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	4096	5355	7125	11506	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSB/EB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Buna-N / EPDM		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	100	121	143	228	310	388	617	1376	1501	2185			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	3393	4433	5839	9277	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSSTB										Operator:	Bare	
M.A.W.P.:	200/150 psig at 150 F				End Connection:	Lug				Seat Material:	Teflon		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	145	185	222	329	437	555	872	1753	2122	2864			
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	4287	5899	8312	13554	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

ITEM #:	BI126LDSBVB										Operator:	Bare	
M.A.W.P.:	200 psig at 150 F				End Connection:	Lug				Seat Material:	Viton		
Body Material:	Ductile Iron				Disc Material:	316 SS				Shaft Material:	316 SS		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"			
Item Price:	179	212	243	402	545	657	954	1945	2294	3040			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95			
Size:	16"	18"	20"	24"	30"	36"	42"	48"					
Item Price:	5032	6448	8009	13529	P.O.A.	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	195	230	396	610									

**OPERATOR OPTIONS for Resilient Seated Butterfly Valves**

ITEM:	Price Adders for Lever Handle c/w 10 Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	19	19	19	19	19	19	26	30	30	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Lever Handle Infinite Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	17	17	17	17	18	18	24	24	24	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Manual Gear c/w Wheel										
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	74	74	74	74	74	74	147	147	160	160	
Item Weight - Lbs.:	10	10	10	10	10	10	28	28	33	33	
Size:	16"	18"	20"	24"	30"	36"	42"	48"			
Item Price:	584	584	584	980	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Item Weight - Lbs.:	71	71	80	80							

**High Performance Butterfly Valves**

MODEL	HB150WSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	285 psig at 100 F		End Connection:			Wafer		Seat:			RTFE					
Body:	Carbon Steel (WCB)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	1018	1230	1330	1648	2109	2610	4206	5186	7312	8933						
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187						
Size	16"	18"	20"	24"												
Item Price:	11001	13863	17401	24479												
Unit Weight - Lbs	255	352	455	704												

MODEL	HB150LSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	285 psig at 100 F		End Connection:			Lug		Seat:			RTFE					
Body:	Carbon Steel (WCB)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	1131	1272	1405	2036	2275	2728	4411	5541	8106	9722						
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216						
Size	16"	18"	20"	24"												
Item Price:	15451	14047	20749	24519												
Unit Weight - Lbs	315	462	572	880												

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR				
M.A.W.P.	275 psig at 100 F		End Connection:			Wafer		Seat:			RTFE					
Body:	316 SS (CF8M)		Disc:			316 SS		Shaft:			316 SS					
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"						
Item Price:	1186	1547	1673	2207	2777	3538	5588	6810	9628	11946						
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187						
Size	16"	18"	20"	24"												
Item Price:	14917	18714	22855	31932												
Unit Weight - Lbs	255	352	455	704												

MODEL	HB150LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	275 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1413	1698	1857	2602	3187	3790	6023	7654	11486	14212	
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216	
Size	16"	18"	20"	24"							
Item Price:	18648	23006	29741	38958							
Unit Weight - Lbs	315	462	572	880							

MODEL	HB300WSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1074	1197	1431	1774	2259	2660	4299	5396	7906	9504	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"	18"	20"	24"							
Item Price:	12272	15050	19851	26829							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	Carbon Steel (WCB)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1245	1381	1531	2149	2476	2978	4743	6425	8734	11637	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	14473	19091	23316	32535							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB300WSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1357	1673	1975	2519	3096	3690	5965	7447	11177	13679	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"	18"	20"	24"							
Item Price:	17442	21918	29823	37989							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSSRL/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR						
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat:		RTFE		
Body:	316 SS (CF8M)		Disc:		316 SS		Shaft:		316 SS		
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1640	1975	2184	2894	3673	4409	6869	9822	12942	19625	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	23391	33288	39387	54102							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB600WSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1480 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2173	2690	3258	4040	4292	5016	6826	10809	15811	18774
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	24544	29686	39152	52908						
Unit Weight - Lbs										

MODEL	HB600LSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1480 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2380	3155	3776	4033	4706	5638	7913	14067	16757	22135
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	27049	34962	43156	58132						
Unit Weight - Lbs										

MODEL	HB600WSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1440 psig at 100F		End Connection:		Wafer		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2741	3208	3569	4914	5948	6879	10241	14948	22084	26998
Unit Weight - Lbs			64	84	121	165	299	440	649	
Size	16"	18"	20"	24"						
Item Price:	34394	43238	58856	74981						
Unit Weight - Lbs										

MODEL	HB600LSSSR/L/G				Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR					
M.A.W.P.	1440 psig at 100F		End Connection:		Lug		Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS		Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	3208	3672	4345	5688	6621	7654	11222	21153	25187	38685
Unit Weight - Lbs			85	112	162	219	399	587	865	
Size	16"	18"	20"	24"						
Item Price:	42047	56115	68425	89991						
Unit Weight - Lbs										

**Operator Options for High Performance Butterfly Valve**

ITEM:	Price Adders: Manual Gear, c/w Handwheel									
	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	1230	1230	1230	1230	1480	1480				
Item Weight - Lbs.:	1.5	2	2	2	3	4				

**Replacement Parts - High Performance Butterfly Valve**

ITEM:	Replacement RTFE Seats									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	125	162	162	262	360	360	576	749	1253	1348
Size	16"	18"	20"	24"						
Item Price:	1825	3026	3554	5089						

ITEM:	Replacement Packing									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	75	75	75	78	83	83	88	111	138	164
Size	16"	18"	20"	24"						
Item Price:	195	212	437	485						

ITEM:	Replacement Gasket									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	11	11	11	15	15	15	19	24	26	28
Size	16"	18"	20"	24"						
Item Price:	31	38	42	54						

### Flanged Triple Duty Valves

Note: Bronze disc model TD125FIBE has been discontinued										
ITEM #:	TD125FIDE									
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Disc Material:		C.I. Nickel Plated	
Body Material:	Cast Iron		Guide:		Cast Iron		O-Ring:		EPDM	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	522	628	780	1676	2240	2834	4835	7550	12026	14492
Item Weight - Lbs.:	34	40	50	100	155	200	350	480	660	790

### N.P.T. and Flanged Drip Pan Elbows

ITEM #:	D125PE									
M.A.W.P.:	200 psig at 150 F		End Connection:		3/4" - 4", N.P.T.		6" & 8", 125 Lb. FF Flanged			
Body Material:	Cast Iron									
Size:	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
Item Price:	34	34	90	90	101	140	217	264	781	1434
Item Weight - Lbs.:	2	2	7.5	7.5	8.5	12	19	25	105	202

### Neoprene Connectors

ITEM #:	AUM (CTNT) Extended Double Sphere									
M.A.W.P.:	150 psig at 200 F		End Connection:		N.P.T.		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Nylon Cloth		Union:		Zinc Plated C.I.	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	46	65	66	74	87	108	P.O.A.	P.O.A.		
Item Weight - Lbs.:	1	2	3	4	5	6				

ITEM #:	ASM (CFNS) Single Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Single	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"
Item Price:	58	66	87	118	142	191	261	338	487	720
Item Weight - Lbs.:	5	6	8	12	14	18	23	26	40	56
Size:	12"	14"	16"	18"	20"	24"				
Item Price:	982	1243	1536	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	85	99	128							

ITEM #:	ATM (CFNT) Double Sphere									
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged		Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Synthetic		Flanges:		Zinc Plated C.S.	
Size:	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	82	107	135	166	242	319	408	707	898	1204
Item Weight - Lbs.:	6	8	12	14	18	23	28	45	62	90

### Unibody Threaded End Ball Valves

<b>ITEM #:</b>	1RB20TCSCO Firesafe									
<b>M.A.W.P.:</b>	2000 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Oval Latching	
<b>Body / Ball</b>	Carbon (WCB) / 316 SS		<b>Type and Port:</b>		1 pc Reduced Port		<b>Seat Material:</b>		Polycarbon	
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
<b>Item Price:</b>	90	90	90	101	131	187	247	325		
<b>Item Weight - Lbs.:</b>	1	1	1	1	2	3	4	5		

<b>ITEM #:</b>	1RB20TCSSCO Firesafe									
<b>M.A.W.P.:</b>	2000 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Oval Latching	
<b>Body / Ball</b>	316SS (CF8M) / 316 SS		<b>Type and Port:</b>		1 pc Reduced Port		<b>Seat Material:</b>		Polycarbon	
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
<b>Item Price:</b>	115	115	115	129	180	268	367	483		
<b>Item Weight - Lbs.:</b>	1	1	1	1	2	3	4	5		

### Two Piece Threaded End Ball Valves

<b>ITEM #:</b>	2FB6TBBTN (NPT End)									
<b>M.A.W.P.:</b>	600 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Lever (no latch)	
<b>Body / Ball</b>	Brass / Brass		<b>Type and Port:</b>		2 pc Full Port		<b>Seat Material:</b>		Teflon	
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
<b>Item Price:</b>	12	12	20	28	39	65	91	135	294	365
<b>Item Weight - Lbs.:</b>	1	1	1	1	1	2	2	3	6	10
<b>Size:</b>	4"									
<b>Item Price:</b>	718									
<b>Item Weight - Lbs.:</b>	19									

<b>ITEM #:</b>	2FB6SBBTN (Sweat End)									
<b>M.A.W.P.:</b>	600 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Lever (no latch)	
<b>Body / Ball</b>	Brass / Brass		<b>Type and Port:</b>		2 pc Full Port		<b>Seat Material:</b>		Teflon	
<b>Size:</b>	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	
<b>Item Price:</b>	16	27	35	64	93	135	265	371	618	
<b>Item Weight - Lbs.:</b>	1	1	1	2	2	3	6	10	19	

<b>ITEM #:</b>	2FB10TSSTL									
<b>M.A.W.P.:</b>	1000 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Latching Lever	
<b>Body / Ball</b>	316SS (CF8M) / 316 SS		<b>Type and Port:</b>		2 pc Full Port		<b>Seat Material:</b>		Teflon	
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
<b>Item Price:</b>	26	26	26	34	55	81	112	155		
<b>Item Weight - Lbs.:</b>	1	1	1	1	2	2	4	6		

### Three Piece Threaded End Ball Valves

<b>ITEM #:</b>	3FB10TSSRL / 3FB10SWSSRL									
<b>M.A.W.P.:</b>	1000 psig at 100 F		<b>End Connection:</b>		N.P.T. / Socket Weld		<b>Operator:</b>		Latching Lever	
<b>Body / Ball</b>	316SS (CF8M) / 316 SS		<b>Type and Port:</b>		3 pc Full Port		<b>Seat Material:</b>		RTFE	
<b>Size:</b>	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
<b>Item Price:</b>	31	31	56	75	101	206	206	287		
<b>Item Weight - Lbs.:</b>	1	1	2	2	3	5	7	10		

<b>ITEM #:</b>	3SB20TCSCSCL / 3SB20SWCSCL									
<b>M.A.W.P.:</b>	2000 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Latching Lever	
<b>Body / Ball</b>	Carbon (WCB) / 316 SS		<b>Type and Port:</b>		3 pc Standard Port		<b>Seat Material:</b>		Polycarbon	
<b>Size:</b>	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
<b>Item Price:</b>	132	161	232	385	406	606				
<b>Item Weight - Lbs.:</b>	2	3	4	6	8	11				

<b>ITEM #:</b>	<b>3SB20TSSRL / 3SB20SWSSRL</b>										
<b>M.A.W.P.:</b>	2000 psig at 100 F		<b>End Connection:</b>		N.P.T.		<b>Operator:</b>		Latching Lever		
<b>Body / Ball</b>	316SS (CF8M) / 316 SS		<b>Type and Port:</b>		3 pc Standard Port		<b>Seat Material:</b>		RTFE		
<b>Size:</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1-1/4"</b>	<b>1-1/2"</b>	<b>2"</b>					
<b>Item Price:</b>	<b>111</b>	<b>135</b>	<b>193</b>	<b>321</b>	<b>338</b>	<b>503</b>					
<b>Item Weight - Lbs.:</b>	2	3	4	6	8	11					