

N.P.T., Socket Weld and Sweat End Y-Strainers

Y250TIT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TIT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	26	26	26	40	48	74	100	163	335	393
Spare Gasket Price:	19	19	19	27	35	44	63	77	88	88
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	2	2	2	3	3	6	8	13	22	30

Y125TBT/SBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y125TBT / Y125SBT										
M.A.W.P.:	200 psig at 150 F		End Connection:		N.P.T. / Sweat		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	59	59	59	80	124	184	250	375	632	923
Spare Gasket Price:	14	14	14	22	27	34	50	59	69	69
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	4	11	16

Y250TBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate

ITEM #: Y250TBT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Silicon	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	63	93	148	203	312	520	894	1209		
Spare Gasket Price:	4	4	6	9	9	12	12	19		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	1	2	2	3	4	8	10	13		

ITEM #: Y300TST / Y300SWST										
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	112	112	112	132	198	259	301	509	1058	1588
Spare Gasket Price:	10	10	10	13	13	15	15	18	25	25
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	5	6	8

ITEM #: Y300TSST / Y300SWSST										
M.A.W.P.:	720 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	Teflon		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	189	189	189	222	347	454	511	877	1736	2604
Spare Gasket Price:	10	10	10	13	13	15	15	18	25	25
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs:	1	1	1	1	2	2	3	5	6	8

ITEM # Y600TST / Y600SWSST / Y600TSB / Y600SWSB										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	106	126	189	253	337	482	2601	2977		
Spare Gasket Price:	25	28	34	35	41	46	57	65		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs:	2	3	5	7	10	15	63	77		

ITEM #: Y600TSST / Y600SWSST / Y600TSSB / Y600SWSB										
M.A.W.P.:	1440 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	215	276	491	809	964	1383	6460	7437		
Spare Gasket Price:	25	28	34	35	41	46	57	65		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	2	3	5	7	10	15	63	77		

ITEM #: Y600TLCT / Y600SWLCT										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Low Temp C.S.			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	229	260	451	P.O.A	847	1209				
Spare Gasket Price:	26	29	35		42	47				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y600TA20T / Y600SWA20T										
M.A.W.P.:	1200 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Alloy 20 (CN7M)			Screen:	Alloy 20 (CN7M)		Gasket:	Alloy 20 Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	588	746	1138	P.O.A	2169	3210				
Spare Gasket Price:	366	439	439		519	599				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y1500TST / Y1500SWST										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	193	307	532							
Spare Gasket Price:	29	34	38							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSST / Y1500SWSST										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	444	605	1098							
Spare Gasket Price:	29	34	38							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSB / Y1500SWSB										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	418	669	1167	1248	1248	1715				
Spare Gasket Price:	28	32	37	40	43	50				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500TSSB / Y1500SWSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	833	1078	1725	2938	2938	4092				
Spare Gasket Price:	28	32	37	40	43	50				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMB / Y1500SW52CMB										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Chr. Molly (WC6)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	662	935	1164	1861	2099	2716				
Spare Gasket Price:	30	35	39	44	47	53				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMT / Y1500SW52CMT										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"							
Item Price:	257	406	705							
Spare Gasket Price:	30	35	39							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

Flanged, Buttweld and RTJ Y-Strainers

ITEM #: Y125FDIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	140	201	256	408	549	772	1331	2493	3419	
Spare Gasket Price:	15	15	30	30	45	82	112	143	175	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	22	35	43	75	115	154	243	390	650	

ITEM #: Y125FIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	14"	16"	18"	20"	24"					
Item Price:	11330	15120	18696	23100	28984					
Sp. Gasket Price:	205	219	229	340	405					
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"					
Item Weight - Lbs.:	815	1224	1895	3350	4705					

ITEM #: Y250FDIB										
M.A.W.P.:	500 psig at 150 F			End Connection:	250 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron (A395)			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	628	857	1202	1994	2593	3667	5198	9563	15075	
Spare Gasket Price:	7	7	14	14	22	38	53	84	137	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	28	38	54	110	160	224	468	590	750	

ITEM #: Y150FSB										
M.A.W.P.:	285 psig at 100 F		End Connection:		150 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Item Price:	268	354	480	597	661	964	1165	1859	2790	3406
Spare Gasket Price:	25	25	28	35	44	62	62	75	78	94
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	160
Size:	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	5518	11860	16760	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	110	187	243							
Std. Screen Size:	0.125"	0.125"	0.125"							
Item Weight - Lbs.:	210	440	585							

ITEM #: Y150FSSB										
M.A.W.P.:	275 psig at 100 F		End Connection:		150 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	
Item Price:	547	698	930	1246	1692	2775	3381	4960	8368	
Spare Gasket Price:	25	25	28	35	44	62	62	75	78	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"	
Item Price:	9889	15917	33298	46386	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	94	110	187	243						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs.:	160	210	440	585						

ITEM #: Y300FSB										
M.A.W.P.:	740 psig at 100 F		End Connection:		300 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	
Item Price:	309	605	791	834	783	1199	1684	2484	5596	
Spare Gasket Price:	25	25	28	35	44	62	62	75	78	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	
Item Weight - Lbs.:	8	14	15	26	32	36	55	88	180	
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"	
Item Price:	5248	8429	15162	23720	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	94	110	187	243						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs.:	200	290	520	680						

Toll Free: 1.866.872.0072

Local: 905.335.8777

Email: ifc@islipflowcontrols.com

Toll Free Fax: 1.866.872.0073

Local Fax: 905.335.0977

Website: www.islipflowcontrols.com

ITEM #: Y300BWSB										
M.A.W.P.:	740 psig at 100 F		End Connection:	Buttweld			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	2673	2952	3774	4289	6957	6962	9483	15106	20155	
Spare Gasket Price:	44	62	62	75	78	94	110	187	243	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	15	25	45	68	90	120	170	360	550	

ITEM #: Y300FSSB										
M.A.W.P.:	720 psig at 100 F		End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Item Price:	811	1238	1347	2625	2445	3723	4858	7768	P.O.A.	15438
Spare Gasket Price:	25	25	28	35	44	62	62	75		94
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"		0.125"
Item Weight - Lbs:	8	14	15	26	32	36	55	88		200
Size:	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	26286	48531	75408	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	110	187	243							
Std. Screen Size:	0.125"	0.125"	0.125"							
Item Weight - Lbs:	290	520	680							

ITEM #: Y600FSB										
M.A.W.P.:	1480 psig at 100 F		End Connection:	RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1653	P.O.A.	3390	5883	P.O.A.	10896	17673	33879	50064	
Spare Gasket Price:	59		78	106		144	172	227	259	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	45		109	197		409	710	1430	1750	

ITEM #: Y600RTJSB										
M.A.W.P.:	1480 psig at 100 F		End Connection:	RTJ Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Oval Ring		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1823	P.O.A.	3719	6483	P.O.A.	11972	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	269		577	672		890				
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"				
Item Weight - Lbs:	45		109	197		409				

ITEM #: Y600FSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	5058	P.O.A.	9352	18788	P.O.A.	34157	54407	102303	132600
Spare Gasket Price:	59		78	106		144	172	227	259
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	5558	P.O.A.	10277	20668	P.O.A.	37586	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	269		577	672		890			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y900FSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3860	P.O.A.	4850	7481	P.O.A.	16606	29550	42464	P.O.A.
Spare Gasket Price:	143		207	278		346	450	518	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	
Item Weight - Lbs:	125		163	253		550	1075	1950	

ITEM #: Y900RTJSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	4268	P.O.A.	5327	8228	P.O.A.	18254	32505	P.O.A.	P.O.A.
Spare Gasket Price:	385		577	672		884	1305		
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"		
Item Weight - Lbs:	125		163	253		550	1075		

ITEM #: Y900FSSB									
M.A.W.P.:	2160 psig		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	11675	P.O.A.	15073	22764	P.O.A.	48835	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	143		207	278		346			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y900RTJSSB									
M.A.W.P.:	2160 psig		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	12827	P.O.A.	16261	24564	P.O.A.	52704	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	385		577	672		884			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y1500FSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3860	5273	7688	11321	P.O.A.	24129	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	143	174	207	277	0	346			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	4233	P.O.A.	8456	12459	P.O.A.	26535	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	385		634	749		1018			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM #: Y1500FSSB									
M.A.W.P.:	3600 psig at 100 F		End Connection:		RF		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	11352	16659	24695	34244	P.O.A.	77544	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	143	174	207	277		346			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSSB									
M.A.W.P.:	3600 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	12487	P.O.A.	24782	37655	P.O.A.	85298	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	385		634	749		1018			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM: Spare Screens									
Screen Material:	Spare Screen Pricing for Y-Strainers and Suction Diffusers, Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	28	28	28	31	52	78	87	125	174
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	16	16	16	18	28	38	44	71	97
MESH COMPLETE W/ PERF. SUPPORT	44	44	44	49	80	117	131	196	271
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	232	386	560	773	1294	1892	2605	3413	4320
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	118	193	280	386	646	944	1302	1708	2161
MESH COMPLETE W/ PERF. SUPPORT	351	580	841	1158	1940	2836	3907	5123	6483

ITEM #:	B125TIR2						Cover Type:		Rotating Type	
M.A.W.P.:	200 psig at 100 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-Ring	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	
Item Price:	766	766	766	872	1003	1179	1523	1699	1988	
Spare Gasket Price:	9	9	9	9	17	17	18	31	38	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs:	10	18	10	18	18	30	50	62	62	

ITEM #:	B300TSB2 / B300SWSB2						Cover Type:		Bolted	
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	646	869	869	1330	1330	1814				
Spare Gasket Price:	35	38	38	43	43	53				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSC2 / B300SWSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	884	1107	1107	1708	1708	2179				
Spare Gasket Price:	35	38	38	43	43	53				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

ITEM #:	B300TSSB2 / B300SWSSB2						Cover Type:		Bolted	
M.A.W.P.:	720 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1644	2043	2043	3612	3612	4892				
Spare Gasket Price:	35	38	38	43	43	53				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSSC2 / B300SWSSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	2004	2403	2403	4151	4151	5433				
Spare Gasket Price:	35	38	38	43	43	53				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

Flanged Basket Strainers

ITEM #:	B125FIB1						Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	392	527	720	852	1337	1746	3263	5257	7977	15870
Spare Gasket Price:	21	31	31	45	51	59	73	105	122	133
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	1010
Size:	16"	18"	20"	24"						
Item Price:	19104	28887	39301	51390						
Sp. Gasket Price:	258	292	323	351						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	1041	1446	1980	2790						

ITEM #:	B125FIC1						Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	622	731	884	1092	1470	1904				
Spare Gasket Price:	21	31	31	45	51	59				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"				
Item Weight - Lbs:	22	31	42	70	90	124				

ITEM #:	B125FIY1						Cover Type:		Yoke	
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-ring	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	553	674	837	1393	2090	2505	4139	7214	11970	
Spare Gasket Price:	11	11	11	13	13	17	30	41	59	
Std. Screen Size:	0.0625"	0.0625"	0.0625"	0.0625"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	27	29	42	65	95	148	198	350	720	

ITEM #:	B150FSB1									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.			
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound			
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	911	1259	1754	2703	3762	4189	7977	12175	18848		
Spare Gasket Price:	49	49	57	62	122	106	129	174	194		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70	100	124	270	385	670		
Note: B150FSB1 & B150FSSB1 come with a Teflon gasket from factory; replacement gasket is 304SS Spiral wound											

ITEM #:	B150FSSB1									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.			
Body Material:	316 SS (CF8M)		Screen:	304 SS			Gasket:	304 SS Sp. Wound			
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	2268	2583	3836	5748	P.O.A.	9498	17404	24909	42485		
Spare Gasket Price:	49	49	57	62		106	129	174	194		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70		124	270	385	670		

ITEM #:	B150FSB2									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.			
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound			
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	828	1452	P.O.A.	2648	3771	P.O.A.	7464	11729			
Spare Gasket Price:	41	49		57	62		106	129	0		
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

ITEM #:	B150FSSB2									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged			Drain Connection:	N.P.T.			
Body Material:	316 SS (CF8M)		Screen:	304 SS			Gasket:	304 SS Sp. Wound			
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	2642	3836	P.O.A.	6536	9706	P.O.A.	19776	33681			
Spare Gasket Price:	41	49		57	62		106	129			
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

Flanged Dual Basket Assembly Strainers

NOTE: Pricing for spare gaskets are for one [1]; you need to double this for both sides

ITEM #:	DB125FIBC2								Cover Type:	Bolted
M.A.W.P.:	200 psig at 100 F		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	P.O.A.	P.O.A.	7183	9578	11799	13970	21940	37698	57504	
Spare Gasket Price:			46	49	55	64	79	114	131	
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:			325	350	500	800	1350	2050	4700	

ITEM #:	DB125FICC2								Cover Type:	C-Clamp
M.A.W.P.:	50 psig at ambient		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	P.O.A.	P.O.A.	8716	11622	14098	16141	24595	40610	61297	
Spare Gasket Price:			46	49	55	64	79	114	131	
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:			325	350	500	800	1350	2050	4700	

Flanged Suction Diffusers

(Inlet x Outlet/pump)												
ITEM #:	SC125FIB										Cover Type:	Bolted
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged			Drain Connection:	Standard				
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Buna-N O-Ring				
Size:	2"x1-1/2"	2"x2"	2-1/2"x2"	2-1/2"x2-1/2"	3"x2"	3"x2-1/2"	3"x3"	4"x3"	4"x4"	5"x4"		
Item Price:	344	368	461	488	497	641	680	910	942	1369		
Spare Gasket Price:	12	12	20	20	26	26	26	45	45	58		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	21	21	23	32	34	45	49	55	70	92		
Size:	5"x5"	6"x4"	6"x5"	6"x6"	8"x5"	8"x6"	8"x8"	10"x8"	10"x10"	12"x8"		
Item Price:	1395	1448	1828	1939	2294	2343	3191	4046	4764	5748		
Spare Gasket Price:	58	58	71	71	71	71	142	142	200	200		
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	97	132	145	182	197	197	292	312	422	412		
Size:	12"x10"	12"x12"										
Item Price:	6066	6323										
Spare Gasket Price:	243	243										
Std. Screen Size:	0.125"	0.125"										
Item Weight - Lbs:	491	573										

Spare Baskets for Basket and Dual Basket Strainers

ITEM: Spare Baskets									
Screen Material:	Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	N/A	N/A	204	204	204	204	204	204	310
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	N/A	N/A	103	103	103	103	103	103	158
MESH COMPLETE W/ PERF. SUPPORT	N/A	N/A	307	307	307	307	307	307	468
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	357	456	712	987	1420	1774	2127	2484	2839
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	178	227	357	496	712	889	1065	1243	1422
MESH COMPLETE W/ PERF. SUPPORT	535	683	1069	1481	2131	2664	3192	3727	4261

Perforated Cone & Basket Strainers

ITEM #: TC150SS4W1 / TC300SS4W1 / TC600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Conical	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	190	190	214	260	358	392	459	611	669
Perf c/w Mesh		272	272	296	344	447	487	618	779	854
Perforation:	150%	195	195	219	269	371	406	481	652	734
Perf c/w Mesh		275	275	305	360	471	512	648	839	950
Perforation:	200%	198	198	226	279	387	423	505	811	973
Perf c/w Mesh		279	279	310	378	491	536	683	952	1068
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	834	1147	1336	1642	1958	2356	2657	3537	
Perf c/w Mesh		1113	1572	1827	2198	2623	3145	3562	4852	
Perforation:	150%	942	1345	1628	1972	2376	2871	3280	4385	
Perf c/w Mesh		1277	1864	2267	2689	3246	3915	4494	6177	
Perforation:	200%	1071	1539	1728	2297	2751	3385	3957	5426	
Perf c/w Mesh		1473	2154	2411	3179	4642	4687	5507	7692	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

ITEM #: TB150SS4W1 / TB300SS4W1 / TB600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Basket	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	190	190	214	260	358	392	459	611	669
Perf c/w Mesh		272	272	296	344	447	487	618	779	854
Perforation:	150%	195	195	219	269	371	406	481	652	734
Perf c/w Mesh		275	275	305	360	471	512	648	839	950
Perforation:	200%	198	198	226	279	387	423	505	811	973
Perf c/w Mesh		279	279	310	378	491	536	683	952	1068
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	834	1147	1336	1642	1958	2356	2657	3537	
Perf c/w Mesh		1113	1572	1827	2198	2623	3145	3562	4852	
Perforation:	150%	942	1345	1628	1972	2376	2871	3280	4385	
Perf c/w Mesh		1277	1864	2267	2689	3246	3915	4494	6177	
Perforation:	200%	1071	1539	1728	2297	2751	3385	3957	5426	
Perf c/w Mesh		1473	2154	2411	3179	4642	4687	5507	7692	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

Dual Disc Check Valves

ITEM#:	DC125WIBB		(DC126WIBB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer		Seat Material:		Buna-N	
Body:	Cast Iron		Disc Material:		Bronze		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	93	112	164	252	333	484	847	1392	1982	3106
Unit Weight - Lbs	4.5	5.5	7	11.5	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	4010	6010	7349	10203						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DC125WISSB		(DC126WISSB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer		Seat Material:		Buna-N	
Body:	Cast Iron		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	77	112	137	210	259	375	681	1130	1622	2597
Unit Weight - Lbs	5	6	7	12	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	3524	5261	6656	9778						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DR150WSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	424	554	607	893	1233	1724	2342	3701	5736	8253
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	10767	12936	17161	23220						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	424	554	607	893	1233	1724	2342	3701	5736	8253
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	10767	12936	17161	23220						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WSSSM10									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	569	706	837	1224	1469	2086	3144	4671	7070	10071
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	14181	19221	22467	29124						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	698	887	1073	1687	2194	2997	4954	7991	13060	14484
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	18791	21943	29590	39464						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSM10										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	820	1005	1365	1853	2720	3202	5289	8508	13682	17350
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	24621	29844	38383	49822						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR300WSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	508	607	683	1011	980	1813	2851	4353	6158	11757
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	17112	21271	25570	33005						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	508	607	683	1011	980	1813	2851	4353	6158	11757
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	17112	21271	25570	33005						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	648	755	904	1280	1444	2413	3583	5271	7513	14181
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	20036	25325	29664	38121						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	834	1100	1320	1813	2678	4094	6739	10071	15655	22270
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	34224	40111	50009	62946						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	904	1313	1560	1916	2866	4290	7074	10595	16277	27248
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	38654	52351	56805	70282						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR600WSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	637	689	820	1255	1941	2907	4825	7677	11055	13340
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	20658	29762	36935	53988						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	637	689	820	1255	1941	2907	4825	7677	11055	13340
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	20658	29762	36935	53988						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSM10										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	738	871	994	1478	2138	3165	5419	8283	12193	19355
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	23704	34322	41674	57837						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSV										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	983	1264	1508	2744	5780	7025	11340	21058	28443	40168
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	43943	62225	79190	112038						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSM10										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	985	1395	1642	2858	5953	7214	11675	21575	29066	37073
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	49592	69758	88032	123173						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR150LSSSV										
M.A.W.P.	285 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	779	1146	1237	1785	2522	3062	4782	8295	13191	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LLCSSV										
M.A.W.P.	290 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	779	1146	1237	1785	2522	3062	4782	8295	13191	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR150LSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1130	1843	1843	2825	4217	4863	8302	15229	26078	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	959	1352	1441	2252	3144	4054	5895	10791	16146	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#: DR300LLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	959	1352	1441	2252	3144	4054	5895	10791	16146	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR300LSSSV									
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1654	2334	2424	4054	5871	7296	10955	21378	32914	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.	1480 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1245	1670	1974	3038	5175	6919	10849	19315	27821	P.O.A.
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LLCSSV									
M.A.W.P.	1500 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1245	1670	1974	3038	5175	6919	10849	19315	27821	P.O.A.
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.	1440 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1932	2678	3062	5044	9661	12789	20822	40635	58950	P.O.A.
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

Dual Disc Check Valve Inconel X750 Valve Springs

ITEM: Inconel X750 Valve Springs										
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	98	124	124	124	246	262	475	795	959	2276
Unit Weight - Lbs	1	1	1	1	1	2	2	3	3	3
Size	16"	18"	20"	24"						
Item Price:	4332	4463	4913	7336						
Unit Weight - Lbs	4	4	4	4						

Silent Threaded (N.P.T.) Check Valves

NOTE: Socketweld end caps available, consult factory for pricing and availability										
ITEM #: SC600TSSSSM										
M.A.W.P.:	600 psig at 150 F			End Connection:	N.P.T.		Seat Material:	Metal		
Body Material:	316 SS (CF8M)			Disc Material:	316 SS (CF8M)		Spring:	Stainless Steel		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	
Item Price:	119	119	153	186	243	338	426	688	1130	
Item Weight - Lbs.:	1	1	1	3	3.5	4	5	5.5	6	
Note: 1-1/4" SC600 is a 1-1/2" SC600 bushed down										

Swing Check Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: CV800TSM8 - API Trim 8										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Seat Material:	A276-410 + STL		
Body Material:	Carbon Steel (A105N)			Disc Material:	A276 -420		Hinge:	316 SS		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	103	103	103	115	168	238	296	421		
Item Weight - Lbs.:	1	1	2	3	5.0	10	11	17.0		

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: CV800TSSM12 - API Trim 12										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Seat Material:	A276-410 + STL		
Body Material:	Stainless Steel (F316)			Disc Material:	A276 -420		Hinge:	316 SS		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	264	264	264	296	471	856	856	1317		
Item Weight - Lbs.:	1	1	2	3	5.0	10	11	17.0		

Silent Wafer Check Valves

ITEM #: SC125WIBM										
M.A.W.P.:	200 psig at 150 F			End Connection:	Wafer		Seat Material:	Bronze		
Body Material:	Cast Iron			Disc Material:	Bronze		Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	259	312	429	845	1216	1552	3617	5840	10782	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #: SC125WISSM										
M.A.W.P.:	200 psig at 150 F			End Connection:	Wafer		Seat Material:	Stainless Steel		
Body Material:	Cast Iron			Disc Material:	316 SS		Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	282	334	451	768	1307	1630	3793	6115	11297	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #: SC150WSSSM										
M.A.W.P.:	285 psig at 100 F			End Connection:	Wafer		Seat Material:	316 SS		
Body Material:	Carbon Steel			Disc Material:	316 SS		Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	364	435	587	1034	1670	2230	4661	7795	14142	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240	

ITEM #: SC150WSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	Wafer			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	701	828	1123	1895	3297	4360	9632	16999	P.O.A.	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173		

Silent Flanged Check Valves										
ITEM #: SC125FIBM										
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged			Seat Material:	Bronze		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	779	998	1229	1664	2500	2983	5010	7582	12565	19696
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"								
Item Price:	23507	26114								
Item Weight - Lbs.:	650	892								

ITEM #: SC150FSSSM										
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1185	1435	1851	2601	3455	4497	7772	11902	18808	25570
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"	20"	24"						
Item Price:	34175	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:	650									

ITEM #: SC150FSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2958	3928	5811	7283	9919	11494	20739	33060	62826	P.O.A.
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #: SC300FSSSM										
M.A.W.P.:	740 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1883	2278	2870	4322	5972	7335	13433	20625	31072	P.O.A.
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #: SC300FSSSSM											
M.A.W.P.:	720 psig at 100 F			End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)			Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	5749	6672	8842	13407	19271	21719	39233	63668	115140		
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420		
Size:	16"	18"	20"	24"							
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.							
Item Weight - Lbs.:											

Soft Seats for Silent Check Valves

ITEM: Soft Seat Adder for Silent Check Valves										
Material	Viton									
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1030	1097	1105	1480	1544	1617	1752	1896	1920	

Foot Valves

ITEM #: FV125FIBB											
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 lb. FF Flanged			Seat Material:	Buna-N		
Body Material:	Cast Iron			Disc Material:	Bronze			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2252	2780	3089	3801	5068	6546	8094	12292	17579	26809	
Item Weight - Lbs.:	25	32	45	70	90	115	181	265	425	550	
Size:	16"										
Item Price:	P.O.A.										
Item Weight - Lbs.:											

ITEM #: FV150FSSSB											
M.A.W.P.:	285 psig at 100 F			End Connection:	150 lb. RF Flanged			Seat Material:	Buna-N		
Body Material:	Carbon Steel (WCB)			Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2852	3328	3784	5111	6385	7246	11281	16141	23405	P.O.A.	
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500		
Size:	16"	18"	20"	24"							
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.							
Item Weight - Lbs.:											

ITEM #: FV150FSSSSV											
M.A.W.P.:	275 psig at 100 F			End Connection:	150 lb. RF Flanged			Seat Material:	Viton		
Body Material:	316 SS			Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	4932	6269	8088	10043	13541	15262	25315	38856	69227	P.O.A.	
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500		
Size:	16"	18"	20"	24"							
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.							
Item Weight - Lbs.:											



Gate Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSM8 - API Trim 8										
M.A.W.P.:	2000 psig at 100 F			End Connection:			N.P.T.		Wedge: A276-420	
Body Material:	Carbon Steel (A105N)			Disc Material:			A276-410 + STL		Stem: A276-410	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	103	103	103	115	168	238	296	421		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSSM12 - API Trim 12										
M.A.W.P.:	2000 psig at 100 F			End Connection:			N.P.T.		Wedge: A276-420	
Body Material:	Stainless Steel (A182-F316)			Disc Material:			A276-410 + STL		Stem: A276-410	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	264	264	264	296	471	856	856	1317		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

Globe Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GL800TSM8 - API Trim 8										
M.A.W.P.:	2000 psig at 100 F			End Connection:			N.P.T.		Seat Material: A276-420	
Body Material:	Carbon Steel (A105N)			Disc Material:			A276-420		Stem: A276-410	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	103	103	103	115	168	238	296	421		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GL800TSSM12 - API Trim 12										
M.A.W.P.:	2000 psig at 100 F			End Connection:			N.P.T.		Seat Material: A276-420	
Body Material:	Stainless Steel (A182-F316)			Disc Material:			A276-420		Stem: A276-410	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	264	264	264	296	471	856	856	1317		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

Resilient Seated Butterfly Valves

ITEM #:	BI126WDDDB/EB									
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer		Operator: Bare	
Body Material:	Ductile Iron			Disc Material:			Ductile Iron		Seat Material: Buna-N / EPDM	
Body Material:				Disc Material:					Shaft Material: 416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	85	107	127	175	240	279	429	650	897	1269
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95
Size:	16"	18"	20"	24"	30"	36"	42"	48"		
Item Price:	2153	2654	3190	5797	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	117	165	275	440						

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			Bronze			Shaft Material:		416 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	111	145	174	294	406	516	854	1458	2154	3050		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4823	6273	8024	13991	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	104	131	158	251	348	429	698	1161	1690	2432		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3879	4966	6304	11046	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSTB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F			End Connection:			Wafer			Seat Material:		Teflon
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"			
Item Price:	134	183	225	333	492	628	995	1561	2446			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70			

ITEM #:	BI126WDSSVB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Viton
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	204	250	305	478	654	781	1136	1900	2982	3543		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	6012	7585	9126	16574	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Lug			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			Ductile Iron			Shaft Material:		416 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	112	136	153	219	295	351	532	800	1154	1672		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	2674	3440	4458	6793	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Lug			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			Bronze			Shaft Material:		416 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	131	174	197	339	459	575	930	1607	2398	3405		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				

Toll Free: 1.866.872.0072

Local: 905.335.8777

Email: ifc@islipflowcontrols.com

Toll Free Fax: 1.866.872.0073

Local Fax: 905.335.0977

Website: www.islipflowcontrols.com

Item Price:	5325	6961	9263	14957	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	195	230	396	610						

ITEM #:	BI126LDSSB/EB				Operator:		Bare			
M.A.W.P.:	200/150 psig at 150 F		End Connection:		Lug		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron		Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	130	158	185	296	403	504	802	1789	1951	2841
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155
Size:	16"	18"	20"	24"	30"	36"	42"	48"		
Item Price:	4411	5763	7590	12060	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	195	230	396	610						

ITEM #:	BI126LDSSTB				Operator:		Bare			
M.A.W.P.:	200/150 psig at 150 F		End Connection:		Lug		Seat Material:		Teflon	
Body Material:	Ductile Iron		Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	188	241	289	428	568	722	1133	2278	2759	3723
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155
Size:	16"	18"	20"	24"	30"	36"	42"	48"		
Item Price:	5573	7669	10805	17620	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	195	230	396	610						

ITEM #:	BI126LDSSVB				Operator:		Bare			
M.A.W.P.:	200 psig at 150 F		End Connection:		Lug		Seat Material:		Viton	
Body Material:	Ductile Iron		Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	232	276	315	523	708	854	1240	2528	2982	3952
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95
Size:	16"	18"	20"	24"	30"	36"	42"	48"		
Item Price:	6542	8382	10412	17588	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	195	230	396	610						

OPERATOR OPTIONS for Resilient Seated Butterfly Valves

ITEM:	Price Adders for Lever Handle c/w 10 Position Plate									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	25	25	25	25	25	25	34	39	39	
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4	

ITEM:	Price Adders for Manual Gear c/w Wheel									
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	96	96	96	96	96	96	191	191	207	207
Item Weight - Lbs.:	10	10	10	10	10	10	28	28	33	33
Size:	16"	18"	20"	24"	30"	36"	42"	48"		
Item Price:	759	759	759	1274	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Item Weight - Lbs.:	71	71	80	80						

High Performance Butterfly Valves

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	285 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1349	1630	1763	2184	2794	3458	5573	6872	9688	11836															
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187															
Size	16"		18"		20"		24"																		
Item Price:	14577	18368	23056	32434																					
Unit Weight - Lbs	255	352	455	704																					

MODEL	HB150LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	285 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1499	1685	1862	2697	3014	3614	5844	7342	10741	12881															
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216															
Size	16"		18"		20"		24"																		
Item Price:	20473	18612	27492	32488																					
Unit Weight - Lbs	315	462	572	880																					

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	275 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1572	2050	2217	2924	3680	4688	7404	9023	12758	15829															
Unit Weight - Lbs	14	20	26	44	50	57	70	112	158	187															
Size	16"		18"		20"		24"																		
Item Price:	19765	24796	30283	42310																					
Unit Weight - Lbs	255	352	455	704																					

MODEL	HB150LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	275 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1873	2249	2461	3448	4223	5021	7981	10142	15218	18831															
Unit Weight - Lbs	15	25	35	48	56	64	80	128	191	216															
Size	16"		18"		20"		24"																		
Item Price:	24708	30483	39407	51620																					
Unit Weight - Lbs	315	462	572	880																					

MODEL	HB300WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	740 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1423	1585	1897	2351	2994	3525	5696	7150	10476	12592															
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231															
Size	16"		18"		20"		24"																		
Item Price:	16260	19942	26303	35549																					
Unit Weight - Lbs	396	594	704	902																					

MODEL	HB300LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	740 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1649		1830		2029		2848		3281		3946		6285		8514		11573		15419						
Unit Weight - Lbs	16		26		35		48		65		81		139		227		246		484						
Size	16"		18"		20"		24"																		
Item Price:	19177		25295		30894		43109																		
Unit Weight - Lbs	616		792		990		1540																		

MODEL	HB300WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	720 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1798		2217		2617		3338		4103		4889		7903		9867		14809		18124						
Unit Weight - Lbs	15		20		26		44		52		59		99		148		187		231						
Size	16"		18"		20"		24"																		
Item Price:	23111		29042		39516		50335																		
Unit Weight - Lbs	396		594		704		902																		

MODEL	HB300LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	720 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	2173		2617		2894		3835		4866		5841		9102		13014		17148		26004						
Unit Weight - Lbs	16		26		35		48		65		81		139		227		246		484						
Size	16"		18"		20"		24"																		
Item Price:	30993		44107		52187		71685																		
Unit Weight - Lbs	616		792		990		1540																		

MODEL	HB600WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	1480 psig at 100F					End Connection:					Wafer					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316SS					Shaft:					316SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	2879		3564		4317		5353		5687		6647		9045		14322		20950		24875						
Unit Weight - Lbs					64		84		121		165		299		440		649								
Size	16"		18"		20"		24"																		
Item Price:	32521		39334		51876		70103																		
Unit Weight - Lbs																									

MODEL	HB600LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	1480 psig at 100F					End Connection:					Lug					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316SS					Shaft:					316SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	3153		4180		5003		5344		6236		7470		10484		18639		22203		29329						
Unit Weight - Lbs					85		112		162		219		399		587		865								
Size	16"		18"		20"		24"																		
Item Price:	35840		46325		57182		77025																		
Unit Weight - Lbs																									

MODEL	HB600WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	1440 psig at 100F					End Connection:					Wafer					Seat:					RTFE				
Body:	316SS (CF8M)					Disc:					316SS					Shaft:					316SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	3632		4250		4729		6511		7881		9115		13569		19806		29261		35772						
Unit Weight - Lbs					64		84		121		165		299		440		649								
Size	16"		18"		20"		24"																		
Item Price:	45572		57290		77984		99350																		
Unit Weight - Lbs																									

MODEL	HB600LSSSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.:	1440 psig at 100F					End Connection:					Lug					Seat:					RTFE				
Body:	316SS (CF8M)					Disc:					316SS					Shaft:					316SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	4250		4865		5757		7537		8773		10142		14869		28028		33372		51258						
Unit Weight - Lbs					85		112		162		219		399		587		865								
Size	16"		18"		20"		24"																		
Item Price:	55712		74353		90662		119238																		
Unit Weight - Lbs																									

Operator Options for High Performance Butterfly Valve

ITEM:	Price Adders: Manual Gear, c/w Handwheel											
	2"		2-1/2"		3"		4"		5"		6"	
Item Price:	1630		1630		1630		1630		1961		1961	
Item Weight - Lbs.:	1.5		2		2		2		3		4	

Replacement Parts - High Performance Butterfly Valve

ITEM:	Replacement RTFE Seats																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	165		214		214		347		476		476		764		993		1660		1786	
Size	16"		18"		20"		24"													
Item Price:	2418		4009		4709		6744													

ITEM:	Replacement Packing																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	100		100		100		103		110		110		116		147		183		217	
Size	16"		18"		20"		24"													
Item Price:	259		281		579		643													

ITEM:	Replacement Gasket																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	15		15		15		19		19		19		25		31		34		37	
Size	16"		18"		20"		24"													
Item Price:	42		51		55		71													

Flanged Triple Duty Valves

Note: Bronze disc model TD125FIBE has been discontinued																				
ITEM #:	TD125FIDE																			
M.A.W.P.:	200 psig at 150 F					End Connection:					125 Lb. FF Flanged		Disc Material:		C.I. Nickel Plated					
Body Material:	Cast Iron					Guide:					Cast Iron		O-Ring:		EPDM					
Size:	2"		2 1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	678		816		1014		2179		2911		3684		6285		9815		15633		18839	
Item Weight - Lbs.:	34		40		50		100		155		200		350		480		660		790	

N.P.T. and Flanged Drip Pan Elbows

ITEM #:	D125PE																			
M.A.W.P.:	200 psig at 150 F					End Connection:					3/4" - 4", N.P.T.		6" & 8", 125 Lb. FF Flanged							
Body Material:	Cast Iron																			
Size:	3/4"		1"		1 1/4"		1 1/2"		2"		2 1/2"		3"		4"		6"		8"	
Item Price:	44		44		117		117		132		182		282		344		1015		1864	
Item Weight - Lbs.:	2		2		7.5		7.5		8.5		12		19		25		105		202	

Neoprene Connectors

ITEM #:	AUM (CTNT)		Extended Double Sphere								
M.A.W.P.:	150 psig at 200 F		End Connection:		N.P.T.			Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Nylon Cloth			Union:		Zinc Plated C.I.	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"			
Item Price:	60	85	86	96	113	141	P.O.A.	P.O.A.			
Item Weight - Lbs.:	1	2	3	4	5	6					

ITEM #:	ASM (CFNS)		Single Sphere								
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged			Style:		Single	
Elastomer:	Neoprene		Reinforcement:		Synthetic			Flanges:		Zinc Plated C.S.	
Size:	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	
Item Price:	75	86	113	153	185	248	340	439	633	936	
Item Weight - Lbs.:	5	6	8	12	14	18	23	26	40	56	
Size:	12"	14"	16"	18"	20"	24"					
Item Price:	1276	1616	1997	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	85	99	128								

ITEM #:	ATM (CFNT)		Double Sphere								
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged			Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Synthetic			Flanges:		Zinc Plated C.S.	
Size:	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	107	139	176	216	315	415	531	920	1167	1565	
Item Weight - Lbs.:	6	8	12	14	18	23	28	45	62	90	

Unibody Threaded End Ball Valves

ITEM #:	1RB20TCSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.			Operator:		Oval Latching	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		1 pc Reduded Port			Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	119	119	119	133	173	247	327	431			
Item Weight - Lbs.:	1	1	1	1	2	3	4	5			

ITEM #:	1RB20TCSSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.			Operator:		Oval Latching	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		1 pc Reduded Port			Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	152	152	152	171	239	355	486	640			
Item Weight - Lbs.:	1	1	1	1	2	3	4	5			

Two Piece Threaded End Ball Valves

ITEM #:	2FB6TBTH (NPT End) - NSF / UL / FM Approved										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.			Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port			Seat Material:		PTFE	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	
Item Price:	16	16	20	30	48	74	100	141	334	444	
Item Weight - Lbs.:	1	1	1	1	1	2	2	3	6	10	

ITEM #:	2FB6TBTH (Sweat End) - NSF / UL / FM Approved										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.			Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port			Seat Material:		PTFE	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"			
Item Price:	19	29	45	70	96	146	311	414			
Item Weight - Lbs.:	1	1	1	2	2	3	6	10			

ITEM #: 2FB10TSSTL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		2 pc Full Port		Seat Material:		Teflon
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	34	34	34	44	72	106	145	202	
Item Weight - Lbs.:	1	1	1	1	2	2	4	6	

Three Piece Threaded End Ball Valves

ITEM #: 3FB10TSSRL / 3FB10SWSSRL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Full Port		Seat Material:		RTFE
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	41	41	75	100	134	273	273	381	
Item Weight - Lbs.:	1	1	2	2	3	5	7	10	

ITEM #: 3SB20TCSCSCL / 3SB20SWGSCSCL									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		Polycarbon
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	175	214	307	510	538	803			
Item Weight - Lbs.:	2	3	4	6	8	11			

ITEM #: 3SB20TSSRL / 3SB20SWSSRL									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		RTFE
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	147	179	256	426	448	666			
Item Weight - Lbs.:	2	3	4	6	8	11			